

CATTANI AUSTRALIA

2024 CATALOGUE & PRICE LIST

VALID TO 31 DECEMBER 2024



SPECIALISTS IN AIR TECHNOLOGY, DRIVEN BY: IMAGINATION AND RESEARCH IN DESIGN, QUALITY IN PRODUCTION

QUALITY BEGINS IN ITALY



Our premium air technology is the embodiment of everything that Cattani stands for. We feel a deep sense of pride when we deliver our creations, knowing its maximum reliability. Our excellent results may define us, but they also remind us of its origins – Parma, Italy.

Parma province is part of the Emilia-Romagna region, famously renowned for Parmigiano Reggiano cheese, Prosciutto di Parma, and the home of quality brands such as Ferrari, Lamborghini, Maserati, and Ducati.

Amongst the finest craftsmanship in the world, it was here that the late Prof. Augusto Cattani established Cattani in 1967 and pioneered the most advanced dental suction and air compression equipment. After becoming a publicly limited company in 1981, Cattani S.p.A. expanded the range with the Magnolia dental consumables range, extending the group's air technology capabilities to chemical products.

Passing on the unparalleled quality and technical knowledge to the next generation of the family, Ennio Cattani, their legacy had reached partners in more than 60 countries. Among them, the Clark family in Melbourne, Australia.



HISTORY



- 1967
 Cattani is established.
- 1981 Cattani becomes a publicly limited company.
- 1987 Cattani Australia is established.
- 1993
 NASA appoints Cattani-ESAM as compressor supplier.
- c. 1997
 Eurostar Italia train pressurisation project.
- 2003
 Magnolia range launched.
- 2005 SMART Suction introduced.
- 2015 SMART Cube range introduced.
- 2019
 Blueprints training program.
- • **2020** ADIA Education Award.
- 2022
 Blueprints Online launched.
- • 2022
 Turbo SMART HP launched.
- 2023
 AFTER CARE Online launched



The essence of Cattani quality was conceived in Italy and is now meticulously cultivated in the Australasian region. Our first-class service guarantees added value to the already unmatched workmanship brought to us by Italy, before delivering it to our customers. From our additional quality inspection on Australian soil, to our exclusive After Care Scheduled Service and Blueprints Training programs, we go the extra mile to strive towards achieving 100% reliability.

As in Italy, Cattani Australia is very much a family affair. Bill Clark, who founded Cattani Australia in 1987, started working in the dental industry more than 50 years ago. Bill holds a Non-Executive Board Position and is a Director, and is actively involved within the global dental industry as chair of the International Organization for Standardization (ISO) Committee.

The family's ongoing contributions extend to Bill's wife, Pam Clark, former Federal ADIA President 2006 to 2010, who was admitted as an Officer of the Order of Australia in 2017, cited for her 'Contribution to Humanity' after dedicating 6 years working with the United Nations and World Health Organisation, in development of The Minamata Treaty. Pam today actively holds roles with FDI and a Board Position on Academy of Dentistry International Foundation.

The next generation of the Clark family has also mirrored the Italian generational business tradition. In 2015, Allison Clark took up a Director and Board Position in the Company, relieving Bill after over 50 years of service. From this Board position, Allison has worked with Cattani Italy to expand the Cattani Agency into South East Asia, to grow on and from the Family legacy in Australia and New Zealand. Allison remains working an active and important strategic role from the Board.

Today, the Cattani-ESAM group specialises in premium air technology across the Asia Pacific region, under the leadership of Chief Executive Officer, Greg Fox. With 30 years' experience in the dental industry, including roles as Director of Marketing and Vice-President / General Manager of Dentsply, Greg drives company success through existing Cattani values, yet accelerates innovation to lead the way in premium air technology.

Leveraging our strong technical team and their commitment to innovation through in-house training and e-learning platform, the Cattani group of companies is well placed to continue to expand across the Asia Pacific region and set the quality benchmark in the global dental industry.



"All this painstaking care for our work. . . are justified by the results achieved. Quality needs to be sought with determination and must be scrupulously adhered to thereafter. We cannot afford to stop, as progress is unstoppable."

Prof. Augusto Cattani, Founder of Cattani

QUALITY - AIR TECHNOLOGY SPECIALISTS

The ownership of Cattani equipment makes a bold statement about the dental care professionals: They are quality driven and have the highest expectations for optimal performance, precision, and reliability.

INNOVATION

Innovation goes hand in hand with quality. Cattani Italy prides itself in a long history of "intelligent" suction systems and compressors, from automatic operation to variable motor speed, intuitive power output (inverter control), noise reduction, and the development of suction system with a 50% reduction on raw materials.

At Cattani Australasia, we follow the Cattani Italy example, but we also take initiative. We not only lead the way in modular installation of parallel units, but with an internal technical team we can promptly respond to market demands with in-house product development.

EXPERTISE

We are the avant-garde, the resilient, the relentless, who are passionate about innovation and breaking new ground. With more than 50 years in the business, hailing from region of engineering excellence, the home of Ferrari engineering, Cattani has built a global reputation in its world class craftsmanship. Don't just take our word for it. The Cattani-ESAM group was commissioned to supply air compression technology on the NASA space shuttle and the pressurisation of Eurostar Italia trains.

Cattani quality doesn't just happen. It is developed and meticulously refined over time, as Cattani leaves nothing to chance. When we specialise in one field only – air technology, the expected result is precision and mastery.

SERVICE

Cattani truly believes in overperforming to reach a superior level of distinction. Our commitment to equipment reliability is demonstrated through our quality assurance inspection that happens not once, but twice. The first assessment with our Italian manufacturers, then an additional physical inspection by our Australian quality assurance team.

This level of exclusivity is reinforced by our in-house local technical team, the frontrunners of the company who developed our After Care Scheduled Service and Blueprints training programs.

PERFORMANCE

Human centricity is key. We think and work in a holistic manner to create genuine benefits for our customers. Our market leading 7-year warranty in compressors, full parts and labour, means a peace of mind knowing your surgery has the support of our in-house technical team.

With energy savings of between 30 percent and 50 percent, a reduction in half the perceived noise through our acoustic housing, our ISO certified air solutions offer precision in dentistry, where it is paramount. Therefore, you can expect precision as an integral part of Cattani performance.



OUR LEGACY WITH NASA





THE PRIDE OF EUROSTAR






TABLE OF CONTENTS





| COMPRESSORS | |
|-----------------------------------|--------|
| Introduction | 08 |
| Products | 10 |
| COMPRESSORS – LARGE PLANT | |
| Introduction | 22 |
| Products | 24 |
| COMPRESSORS – CAD/CAM | |
| Introduction | 28 |
| Products | 30 |
| COMPRESSOR ACCESSORIES AND SERVIC | E KITS |
| Compressor Accessories | 39 |
| Compressor Service Kits | 41 |
| Compressor Spare Parts | 41 |
| SMART SUCTION | |
| Introduction | 42 |
| SMART Cube | 44 |
| Inverter Technology | 45 |
| Amalgam Retention | 46 |
| Products | 47 |

| LARGE PLANT SOLUTIONS | |
|--|-----|
| Introduction | 66 |
| Products | 68 |
| COMPACT PLANT SOLUTIONS | |
| Introduction | 76 |
| Products | 78 |
| CLASSIC SUCTION | |
| Introduction | 80 |
| Products | 81 |
| SUCTION ACCESSORIES AND SERVICE KITS | |
| Suction Accessories | 88 |
| Suction Service Kits | 106 |
| Suction Spare Parts | 109 |
| CONSUMABLES – MAGNOLIA | |
| Introduction | 113 |
| Products | 114 |
| SELECTION, INSTALLATION, MAINTENANCE AND SERVICE | |
| Introduction | 116 |
| Equipment Installation | 118 |

| | | | PRODUCT SEL | ECTION GUIDE | | |
|-------------|-----------------------|-----------------------|-----------------------|--|---------------|---------------|
| | 1-2 CHAIRS | 2-3 CHAIRS | 3-4 CHAIRS | 5-6 CHAIRS | 7-8 CHAIRS | 12+ CHAIRS |
| COMPRESSORS | PAGE 10-11 PAGE 78 | PAGE12-13 PAGE 78 | PAGE 14-15 PAGE 78 | PAGE 16-19 | PAGE 20-21 | PAGE 24-27 |
| | PAGE 47-50 PAGE 78 | PAGE 51-54 PAGE 78 | PAGE 55-61 PAGE 78 | PAGE 62-63 | PAGE 64-65 | PAGE 68-75 |
| SUCTION | | | | lection is provided as a ur dental clinic, contac | | |

Recommended Retail Price: The price set out or referred to herein is a recommended price only and there is no obligation to comply with the recommendation.

Prices are valid until 31st December 2024. Prices may be changed without notice due to unforeseen increases of imported products or currency fluctuations. Cattani Australasia has a commitment to innovation and as such we reserve the right to change product specifications without notice. Please refer to our website for the most current product specifications. Product images and packaging are for illustrative purposes only, variations can occur due to the printing process of colours therefore the product you receive may not exactly correspond to the image. Some items listed are "indent only" products and are subject to our "Forward Order and Indent Item Policy." Please contact your Cattani Business Development Manager or our Customer Service Team for further information.



OIL-FREE DENTAL COMPRESSORS











PURE RELIABILITY

Cattani users make a bold statement with their purchase: they have the highest expectations for quality, performance, precision, and reliability. This is a purchasing decision that we would always want you to reflect on with complete satisfaction.

To guarantee that, we provide you a market leading 7-year warranty on our compressors, including full parts and labour.

MORE THAN 50 YEARS IN PREMIUM AIR TECHNOLOGY

With more than 50 years of innovative contributions to the global dental industry, we provide expertise and specialisation in air technology.

IT'S NOT JUST EQUIPMENT, IT'S AN INVESTMENT

We believe in our equipment so much that we offer a 7-year warranty on all our compressors. We'll take the chance, so you don't have to.

DENTAL GRADE HYGIENE

Cattani compressors produce quality dental grade air by removing 99.975% of particles down to 0.3 micron. Air is then preserved in a dual coated compressor tank lined with a food grade resin and Biocote® silver ion for antimicrobial protection. Cattani compressed air quality is supported by an ISO 8573-1 standard compliance with Class 1:4:2.

RELIABLE CATTANI COMMITMENT

We are committed to our customers enjoying their Cattani experience, from their first meeting with representatives, through technical advice before purchase, then ongoing support throughout the life of their asset.

FUTUREPROOF CAPABILITIES

From a single chair right through to large-scale hospital and university installations. Cattani manufactures compressors in sizes and configurations suitable for every scenario.

NOISE REDUCTION OPTIONS AVAILABLE

Where space is valuable and limited, noise can be an issue. For that, we offer a range of noise reduction options, from acoustic hoods to fully enclosed acoustic and temperature controlled cabinets.

COMPLIMENTARY AIRLINE INSTALLATION KIT

All compressors come with an airline installation kit - a "cost saving" package to minimise installer onsite costs, and offsite tool purchasing time.



PERFECTING DENTAL GRADE AIR DELIVERY

No matter how sophisticated our equipment are, it only makes sense to us if it produces quality results. We believe delivering dental grade quality air is a journey of innovation and improvement, hence we have spent more than 50 years meticulously refining each step of this process.



STANDARD IN ALL AC COMPRESSORS

IT STARTS WITH THE COMPRESSOR HEAD FILTER

The primary filter ensures longterm reliability of the head unit and pistons. This component alone removes dust and particles down to 20 micron. The good news is, we're just getting started.

PIONEERING CYCLONE TECHNOLOGY

As one of the pioneers in cyclone technology within dental systems, Cattani use a highly engineered design to remove condensation and water from the air. This initiates the two-stage process in producing dry air.

3 ADDED FILTRATION FOR SUPERIOR QUALITY

For enhanced fine particle separation, a secondary filter disc is added to remove additional fine particles as the air exits the cyclone.

DESICCANT DRYING FOR OPTIMAL DEW POINT


The desiccant drying column uses an energy efficient passive process to absorb any remaining moisture present in the air. This final drying process ensures a humidity class 4 in line with ISO 8753-1 as stated in ISO 22052.

5 SINTERED BRONZE FILTER FOR ZERO MAINTENANCE

The sintered bronze filter element acts as a prelude to the HEPA H14 filter, prolonging the life of the component. More good news - the sintered bronze filter never needs replacing or cleaning.

6 99.975% EFFICIENCY ISO STANDARD RATING

Our antibacterial High Efficiency Particulate Air (HEPA H14) filter removes 99.975% of all particles down to 0.3 micron, before preserving the air in the Biocote® and food grade resin protected tank, ready for use.






AC100 Single Cylinder Oil-free Dental Compressor | 1 chair

The most compact of our high-performance dental compressor range, the AC100 is designed to serve 1 chair. Cattani compressors are oil-free and rigorously tested to consistently deliver clean, dry, and hygienic air.

Details That Matter

- 7-year full parts and labour warranty
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank
- Noise reduction option available (see AC100Q)
- Unrivalled technical service back-up













HEPA H14 FOR HUMID DRYER FILTER CLIMATES

INCLUDES INSTALLATIO

| | AC100 | AC100E |
|------------------------------|--|---|
| | Single Cylinder Oil-free Dental Compressor | Single Cylinder Oil-free Dental Compressor with Pre-filter |
| Item Code | 013125 | 013125E |
| Price Ex GST | \$7,390.00 | \$7,955.00 |
| Price Inc GST | \$8,129.00 | \$8,750.50 |
| SPECIFICATIONS | | |
| Power | 0.55kW 3.8A 1PH 230V | 0.55kW 3.8A 1PH 230V |
| Sound Output dB(A) | 70 | 70 |
| Max Air Flow at 5 Bar Nl/min | 67.5 | 67.5 |
| Tank Size litres | 30 | 30 |
| DIMENSIONS | | |
| Height mm | 720 | 720 |
| Width mm | 620 | 620 |
| Depth mm | 460 | 460 |
| Weight kg | 47 | 47 |

RELATED PRODUCTS



Acoustic cabinet



Compressor parallel connection kit





AC100Q Quiet Single Cylinder Oil-free Dental Compressor | 1 chair

The most compact of our high-performance dental compressor range, the AC100Q is designed to serve 1 chair. Our Q series of compressors significantly reduces noise levels, making them an excellent option when equipment is close to the surgery.

Details That Matter

- 7-year full parts and labour warranty
- Acoustic hood for significant noise reduction
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank
- Unrivalled technical service back-up















HEPA H14 FOR HUMID DRYER FILTER CLIMATES

LOW NOISE INCLUDES Q RANGE INSTALLATION

| | AC100Q | AC100QE |
|------------------------------|--|---|
| | Quiet Single Cylinder Oil-free Dental Compressor | Quiet Single Cylinder Oil-free Dental Compressor with Pre-filter |
| Item Code | 013144 | 013144E |
| Price Ex GST | \$10,090.00 | \$10,655.00 |
| Price Inc GST | \$11,099.00 | \$11,720.50 |
| SPECIFICATIONS | | |
| Power | 0.55kW 3.8A 1PH 230V | 0.55kW 3.8A 1PH 230V |
| Sound Output dB(A) | 63 | 63 |
| Max Air Flow at 5 Bar Nl/min | 67.5 | 67.5 |
| Tank Size litres | 30 | 30 |
| DIMENSIONS | | |
| Height mm | 860 | 860 |
| Width mm | 660 | 660 |
| Depth mm | 600 | 600 |
| Weight kg | 57 | 57 |

RELATED PRODUCTS



Ventilation fan kits



Compressor parallel connection kit





AC200 2 Cylinder Oil-free Dental Compressor | 2-3 chairs

One of the most popular models of our dental compressor range, the AC200 is designed to serve 2 to 3 chairs. Cattani compressors are oil-free and rigorously tested to deliver precision in hygienic air.

Details That Matter

- 7-year full parts and labour warranty
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank
- Noise reduction option available (see AC200Q)
- Unrivalled technical service back-up













HEPA H14 FOR HUMID INCLUDES DRYER FILTER CLIMATES INSTALLATION

| | AC200 | AC200E |
|------------------------------|--|---|
| | 2 Cylinder Oil-free Dental Compressor | 2 Cylinder Oil-free Dental Compressor with Pre-filter |
| Item Code | 013208 | 013208E |
| Price Ex GST | \$8,410.00 | \$8,975.00 |
| Price Inc GST | \$9,251.00 | \$9,872.50 |
| SPECIFICATIONS | | |
| Power | 1.25kW 7.1A 1PH 230V | 1.25kW 7.1A 1PH 230V |
| Sound Output dB(A) | 71 | 71 |
| Max Air Flow at 5 Bar Nl/min | 160 | 160 |
| Tank Size litres | 30 | 30 |
| DIMENSIONS | | |
| Height mm | 720 | 720 |
| Width mm | 620 | 620 |
| Depth mm | 460 | 460 |
| Weight kg | 54 | 54 |

RELATED PRODUCTS



Acoustic cabinet



Compressor parallel connection kit





AC200Q Quiet 2 Cylinder Oil-free Dental Compressor | 2-3 chairs

The AC200Q is designed to serve 2 to 3 chairs. Our Q series of compressors significantly reduces noise levels, making them an excellent option when equipment is close to the surgery.

Details That Matter

- 7-year full parts and labour warranty
- Acoustic hood for significant noise reduction
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank
- Unrivalled technical service back-up















HEPA H14 FOR HUMID DRYER FILTER CLIMATES

LOW NOISE INCLUDES Q RANGE INSTALLATION

| | AC200Q | AC200QE |
|------------------------------|---|--|
| | Quiet 2 Cylinder Oil-free Dental Compressor | Quiet 2 Cylinder Oil-free Dental Compressor with Pre-filter |
| Item Code | 013244 | 013244E |
| Price Ex GST | \$11,110.00 | \$11,675.00 |
| Price Inc GST | \$12,221.00 | \$12,842.50 |
| SPECIFICATIONS | | |
| Power | 1.25kW 7.1A 1PH 230V | 1.25kW 7.1A 1PH 230V |
| Sound Output dB(A) | 63 | 63 |
| Max Air Flow at 5 Bar Nl/min | 160 | 160 |
| Tank Size litres | 30 | 30 |
| DIMENSIONS | | |
| Height mm | 860 | 860 |
| Width mm | 660 | 660 |
| Depth mm | 600 | 600 |
| Weight kg | 64 | 64 |

RELATED PRODUCTS



Ventilation fan kits



Compressor parallel connection kit





AC300 3 Cylinder Oil-free Dental Compressor | 3-4 chairs

One of our most popular models of the dental compressor range, the AC300 is designed to serve 3 to 4 chairs. Cattani compressors deliver high performance dry air and are completely oil-free.

Details That Matter

- 7-year full parts and labour warranty
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank
- Noise reduction option available (see AC300Q)
- Unrivalled technical service back-up













HEPA H14 FOR HUMID INCLUDES DRYER FILTER CLIMATES INSTALLATION

| | AC300 | AC300E |
|------------------------------|--|---|
| | 3 Cylinder Oil-free Dental Compressor | 3 Cylinder Oil-free Dental Compressor with Pre-filter |
| Item Code | 013308 | 013308E |
| Price Ex GST | \$10,270.00 | \$10,835.00 |
| Price Inc GST | \$11,297.00 | \$11,918.50 |
| SPECIFICATIONS | | |
| Power | 1.5kW 9.2A 1PH 230V | 1.5kW 9.2A 1PH 230V |
| Sound Output dB(A) | 73.6 | 73.6 |
| Max Air Flow at 5 Bar Nl/min | 238 | 238 |
| Tank Size litres | 45 | 45 |
| DIMENSIONS | | |
| Height mm | 750 | 750 |
| Width mm | 620 | 620 |
| Depth mm | 520 | 520 |
| Weight kg | 65 | 65 |
| | | |

RELATED PRODUCTS



Acoustic cabinet



Compressor parallel connection kit





AC300Q Quiet 3 Cylinder Oil-free Dental Compressor | 3-4 chairs

One of our most popular models of the quiet dental compressor range, the AC300Q is designed to serve 3 to 4 chairs. Our Q series of compressors significantly reduces noise levels, making them an excellent option when equipment is close to the surgery.

Details That Matter

- 7-year full parts and labour warranty
- Acoustic hood for significant noise reduction
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank
- Unrivalled technical service back-up















HEPA H14 FOR HUMID LODRYER FILTER CLIMATES

LOW NOISE INCLUDES Q RANGE INSTALLATION

| | AC300Q | AC300QE |
|------------------------------|---|--|
| | Quiet 3 Cylinder Oil-free Dental Compressor | Quiet 3 Cylinder Oil-free Dental Compressor with Pre-filter |
| Item Code | 013344 | 013344E |
| Price Ex GST | \$12,970.00 | \$13,535.00 |
| Price Inc GST | \$14,267.00 | \$14,888.50 |
| SPECIFICATIONS | | |
| Power | 1.5kW 10.2A 1PH 230V | 1.5kW 10.2A 1PH 230V |
| Sound Output dB(A) | 68 | 68 |
| Max Air Flow at 5 Bar Nl/min | 238 | 238 |
| Tank Size litres | 45 | 45 |
| DIMENSIONS | | |
| Height mm | 979 | 979 |
| Width mm | 720 | 720 |
| Depth mm | 700 | 700 |
| Weight kg | 80 | 80 |

RELATED PRODUCTS



Ventilation fan kits



Compressor parallel connection kit





AC400 Tandem 2 Cylinder Oil-free Dental Compressor | 5-6 chairs

With a 100-litre tank, the AC400 is designed to serve 5 to 6 chairs, the ideal setup for a growing practice. This model is designed to deliver dry, oil-free, and hygienic air operating on three-phase power (single-phase also available).

Details That Matter

- 7-year full parts and labour warranty
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank
- Noise reduction option available (see AC400Q)
- Single-phase option available (See AC400-1P)
- Unrivalled technical service back-up













HEPA H14 FOR HUMID DRYER FILTER CLIMATES

| | AC400 | AC4UUE |
|------------------------------|--|---|
| | Tandem 2 Cylinder Oil-free Dental Compressor | Tandem 2 Cylinder Oil-free Dental Compressor with Pre-filter |
| Item Code | 013432 | 013432E |
| Price Ex GST | \$15,700.00 | \$16,830.00 |
| Price Inc GST | \$17,270.00 | \$18,513.00 |
| SPECIFICATIONS | | |
| Power | 3.0kW 7.2A 3PH 400V | 3.0kW 7.2A 3PH 400V |
| Sound Output dB(A) | 73 | 73 |
| Max Air Flow at 5 Bar Nl/min | 320 | 320 |
| Tank Size litres | 100 | 100 |
| DIMENSIONS | | |
| Height mm | 745 | 745 |
| Width mm | 1200 | 1200 |
| Depth mm | 550 | 550 |
| Weight kg | 112 | 112 |
| | | |

RELATED PRODUCTS



Ventilation fan kits



Three-phase compressor parallel connection kit





AC400-1P Tandem 2 Cylinder Oil-free Dental Compressor | 5-6 chairs

With a 100-litre tank, the AC400-1P is designed to serve 5 to 6 chairs, the ideal setup for a growing practice. This model is designed to deliver dry, oil-free, and hygienic air operating on single-phase power (three-phase also available).

Details That Matter

- 7-year full parts and labour warranty
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank
- Noise reduction option available (see AC400Q-1P)
- Three-phase option available (See AC400)













HEPA H14 FOR HUMID INCLUDES DRYER FILTER CLIMATES INSTALLATION

| | AC400-1P | AC400-1PE |
|------------------------------|--|---|
| | Tandem 2 Cylinder Oil-free Dental Compressor | Tandem 2 Cylinder Oil-free Dental Compressor with Pre-filter |
| Item Code | 013422 | 013422E |
| Price Ex GST | \$15,700.00 | \$16,830.00 |
| Price Inc GST | \$17,270.00 | \$18,513.00 |
| SPECIFICATIONS | | |
| Power | 2.4kW 15.4A 1PH 230V | 2.4kW 15.4A 1PH 230V |
| Sound Output dB(A) | 73 | 73 |
| Max Air Flow at 5 Bar NI/min | 320 | 320 |
| Tank Size litres | 100 | 100 |
| DIMENSIONS | | |
| Height mm | 745 | 745 |
| Width mm | 1200 | 1200 |
| Depth mm | 550 | 550 |
| Weight kg | 112 | 112 |

RELATED PRODUCTS



Ventilation fan kits



Compressor parallel connection kit





AC400Q Quiet Tandem 2 Cylinder Oil-free Dental Compressor | 5-6 chairs

With a 100-litre tank, the AC400Q is designed to serve 5 to 6 chairs, the ideal setup for a growing practice. This model is designed with noise reduction, operating on three-phase power (single-phase also available).

Details That Matter

- 7-year full parts and labour warranty
- Acoustic hood for significant noise reduction
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank
- Single-phase option available (See AC400Q-1P)
- Unrivalled technical service back-up















| | IXII | |
|------------------------------|--|---|
| | AC400Q | AC400QE |
| | Quiet Tandem 2 Cylinder Oil-free Dental Compressor | Quiet Tandem 2 Cylinder Oil-free Dental Compressor with Pre-filter |
| Item Code | 013450 | 013450E |
| Price Ex GST | \$21,100.00 | \$22,230.00 |
| Price Inc GST | \$23,210.00 | \$24,453.00 |
| SPECIFICATIONS | | |
| Power | 3.0kW 7.4A 3PH 400V | 3.0kW 7.4A 3PH 400V |
| Sound Output dB(A) | 63.8 | 63.8 |
| Max Air Flow at 5 Bar Nl/min | 320 | 320 |
| Tank Size litres | 100 | 100 |
| DIMENSIONS | | |
| Height mm | 890 | 890 |
| Width mm | 1200 | 1200 |
| Depth mm | 650 | 650 |
| Weight kg | 135 | 135 |

RELATED PRODUCTS



Ventilation fan kits



Three-phase compressor parallel connection kit



Service kit



AC400Q-1P Quiet Tandem 2 Cylinder Oil-free Dental Compressor | 5-6 chairs

With a 100-litre tank, the AC400Q-1P is designed to serve 5 to 6 chairs, the ideal setup for a growing practice. This model is designed with noise reduction, operating on single-phase power (three-phase also available).

Details That Matter

- 7-year full parts and labour warranty
- Acoustic hood for significant noise reduction
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank
- Three-phase option available (See AC400Q)















LOW NOISE INCLUDES Q RANGE INSTALLATION

| | AC400Q-1P | AC400Q-1PE |
|------------------------------|--|---|
| | Quiet Tandem 2 Cylinder Oil-free Dental Compressor | Quiet Tandem 2 Cylinder Oil-free Dental Compressor with Pre-filter |
| Item Code | 013444 | 013444E |
| Price Ex GST | \$21,100.00 | \$22,230.00 |
| Price Inc GST | \$23,210.00 | \$24,453.00 |
| SPECIFICATIONS | | |
| Power | 2.4kW 15.4A 1PH 230V | 2.4kW 15.4A 1PH 230V |
| Sound Output dB(A) | 63.8 | 63.8 |
| Max Air Flow at 5 Bar Nl/min | 320 | 320 |
| Tank Size litres | 100 | 100 |
| DIMENSIONS | | |
| Height mm | 890 | 890 |
| Width mm | 1200 | 1200 |
| Depth mm | 650 | 650 |
| Weight kg | 135 | 135 |

RELATED PRODUCTS



Ventilation fan kits



Compressor parallel connection kit





AC600 Tandem 3 Cylinder Oil-free Dental Compressor | 7-8 chairs

Designed to deliver dry, oil-free, and hygienic air at large facilities, the AC600 serves 7 to 8 chairs. With a 150-litre tank, this oil-free compressor has been rigorously tested to deliver world-class precision in dental air technology.

Details That Matter

- 7-year full parts and labour warranty
- 150-litre tank capacity
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank
- Noise reduction option available (see AC600Q)
- Unrivalled technical service back-up













HEPA H14 FOR HUMID INCLU DRYER FILTER CLIMATES INSTALL

| | ACOUUE |
|--|---|
| Tandem 3 Cylinder Oil-free Dental Compressor | Tandem 3 Cylinder Oil-free Dental Compressor with Pre-filter |
| 013532 | 013532E |
| \$19,090.00 | \$20,220.00 |
| \$20,999.00 | \$22,242.00 |
| | |
| 3.0kW 7.4A 3PH 400V | 3.0kW 7.4A 3PH 400V |
| 74 | 74 |
| 476 | 476 |
| 150 | 150 |
| | |
| 890 | 890 |
| 1320 | 1320 |
| 590 | 590 |
| 124 | 124 |
| | Oil-free Dental Compressor 013532 \$19,090.00 \$20,999.00 3.0kW 7.4A 3PH 400V 74 476 150 890 1320 590 |

RELATED PRODUCTS



Ventilation fan kits



Three-phase compressor parallel connection kit





AC600Q Quiet Tandem 3 Cylinder Oil-free Dental Compressor | 7-8 chairs

Designed to deliver dry, oil-free, and hygienic air at large facilities, the AC600Q serves 7 to 8 chairs. This model significantly reduces noise levels, making it an excellent option when equipment is close to the surgery.

Details That Matter

- 7-year full parts and labour warranty
- 150-litre tank capacity
- Acoustic hood for significant noise reduction
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank
- Unrivalled technical service back-up















LOW NOISE INCLUDES Q RANGE INSTALLATION

| | AC600Q | AC600QE |
|------------------------------|--|---|
| | Quiet Tandem 3 Cylinder Oil-free Dental Compressor | Quiet Tandem 3 Cylinder Oil-free Dental Compressor with Pre-filter |
| Item Code | 013557 | 013557E |
| Price Ex GST | \$24,490.00 | \$25,620.00 |
| Price Inc GST | \$26,939.00 | \$28,182.00 |
| SPECIFICATIONS | | |
| Power | 3.0kW 7.4A 3PH 400V | 3.0kW 7.4A 3PH 400V |
| Sound Output dB(A) | 70.4 | 70.4 |
| Max Air Flow at 5 Bar Nl/min | 476 | 476 |
| Tank Size litres | 150 | 150 |
| DIMENSIONS | | |
| Height mm | 1040 | 1040 |
| Width mm | 1320 | 1320 |
| Depth mm | 770 | 770 |
| Weight kg | 169 | 169 |

RELATED PRODUCTS



Ventilation fan kits



Three-phase compressor parallel connection kit



Service kit



LARGE PLANT COMPRESSOR











BIG IN PERFORMANCE, COMPACT IN SIZE

Specialising in delivering dental grade air to large-scale facilities including hospitals and universities, we don't just understand large installations, we are a leader in this space. As compressed air systems are imperative for critical end-uses in large facilities, we provide the best compressor systems to go with our modular installation suction systems.

All compressor systems come in dual coated tanks lined with a food grade resin and Biocote® silver ion for antimicrobial protection, backed by a 7-year warranty including full parts and labour.

AC900 SYSTEM

- Up to 12 chairs
- Triple 3 Cylinder Oil-Free Dental Compressor
- 300-litre storage tank

AC1200 SYSTEM

- Up to 16 chairs
- Tandem 6 Cylinder Oil-Free Dental Compressor
- 300-litre storage tank

AC1800 SYSTEM

- Up to 24 chairs
- Triple 6 Cylinder Oil-Free Dental Compressor
- 300-litre storage tank

AC2400 SYSTEM

- Up to 32 chairs
- Quad 6 Cylinder Oil-Free Dental Compressor
- 200-litre storage tank

AT CATTANI, WE ARE THE FORCE BEHIND YOUR OPERATION.







AC900 Triple 3 Cylinder Oil-free Dental Compressor | Up to 12 chairs

Designed to deliver dry, oil-free, and hygienic air at large facilities, the AC900 serves up to 12 chairs. With a 300-litre tank, this oil-free compressor has been rigorously tested and ready to deliver world-class performance in dental air technology.

Details That Matter

- 7-year full parts and labour warranty
- 300-litre tank capacity
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank
- Unrivalled technical service back-up













HEPA H14 FOR HUMID INCLUDES DRYER FILTER CLIMATES INSTALLATION

| INDENT ITEM | AC900 | AC900E |
|------------------------------|--|---|
| | Triple 3 Cylinder Oil-free Dental Compressor | Triple 3 Cylinder Oil-free Dental Compressor with Pre-filter |
| Item Code | 013599 | 013599E |
| Price Ex GST | \$32,000.00 | \$33,695.00 |
| Price Inc GST | \$35,200.00 | \$37,064.50 |
| SPECIFICATIONS | | |
| Power | 4.5kW 11.1A 3PH 400V | 4.5kW 11.1A 3PH 400V |
| Sound Output dB(A) | 75 | 75 |
| Max Air Flow at 5 Bar Nl/min | 714 | 714 |
| Tank Size litres | 300 | 300 |
| DIMENSIONS | | |
| Height mm | 1000 | 1000 |
| Width mm | 1800 | 1800 |
| Depth mm | 810 | 810 |
| Weight kg | 260 | 260 |

RELATED PRODUCTS



Ventilation fan kits



Three-phase compressor parallel connection kit






AC1200 Tandem 6 Cylinder Oil-free Dental Compressor | Up to 16 chairs

Designed to deliver dry, oil-free, and hygienic air at large facilities, the AC1200 serves up to 16 chairs. With a 300-litre tank, this high-performance unit has been rigorously tested to deliver continuous and reliable precision in air technology.

Details That Matter

- 7-year full parts and labour warranty
- 300-litre tank capacity
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank
- Unrivalled technical service back-up













HEPA H14 FOR HUMID INCLUDES DRYER FILTER CLIMATES INSTALLATION

| INDENT ITEM | AC1200 | AC1200E |
|------------------------------|--|--|
| | Tandem 6 Cylinder Oil-free Dental Compressor | Tandem 6 Cylinder Oil-free Dental Compressor |
| | Bentat Compressor | with Pre-filter |
| Item Code | 013595 | 013595E |
| Price Ex GST | \$40,400.00 | \$42,660.00 |
| Price Inc GST | \$44,440.00 | \$46,926.00 |
| SPECIFICATIONS | | |
| Power | 6.5kW 15A 3PH 400V | 6.5kW 15A 3PH 400V |
| Sound Output dB(A) | 81 | 81 |
| Max Air Flow at 5 Bar Nl/min | 952 | 952 |
| Tank Size litres | 300 | 300 |
| DIMENSIONS | | |
| Height mm | 1100 | 1100 |
| Width mm | 1800 | 1800 |
| Depth mm | 880 | 880 |
| Weight kg | 303 | 303 |

RELATED PRODUCTS



Ventilation fan kits



Three-phase compressor parallel connection kit





AC1800 Triple 6 Cylinder Oil-free Dental Compressor | Up to 24 chairs

Manufactured with patented low-friction components to prolong the lifespan of the unit, the AC1800 serves up to 24 chairs. With a 300-litre tank, this high-performance unit is ready to deliver world-class precision at large facilities.

Details That Matter

- 7-year full parts and labour warranty
- 300-litre tank capacity
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank
- Unrivalled technical service back-up













HEPA H14 FOR HUMID INCLUDES DRYER FILTER CLIMATES INSTALLATION

| INDENT ITEM | AC1800 | AC1800E |
|------------------------------|--|---|
| | Triple 6 Cylinder Oil-free Dental Compressor | Triple 6 Cylinder Oil-free Dental Compressor with Pre-filter |
| Item Code | 013594 | 013594E |
| Price Ex GST | \$62,150.00 | \$65,540.00 |
| Price Inc GST | \$68,365.00 | \$72,094.00 |
| SPECIFICATIONS | | |
| Power | 9.75kW 22.6A 3PH 400V | 9.75kW 22.6A 3PH 400V |
| Sound Output dB(A) | 82.5 | 82.5 |
| Max Air Flow at 5 Bar Nl/min | 1428 | 1428 |
| Tank Size litres | 300 | 300 |
| DIMENSIONS | | |
| Height mm | 1100 | 1100 |
| Width mm | 1800 | 1800 |
| Depth mm | 1100 | 1100 |
| Weight kg | 394 | 394 |

RELATED PRODUCTS



Ventilation fan kits



Three-phase compressor parallel connection kit





AC2400 Quad 6 Cylinder Oil-free Dental Compressor | Up to 32 chairs

The largest of our AC Cattani compressor range, the AC2400 serves up to 32 chairs. Manufactured with patented low-friction components for continuous and reliable operation, this high-performance unit is ready to deliver world-class precision at large facilities.

Details That Matter

- 7-year full parts and labour warranty
- 200-litre tank capacity
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank
- Unrivalled technical service back-up











INDENT ITEM AC2400

| | Oil-free |
|------------------------------|----------------------|
| | Dental Compressor |
| Item Code | 010656 |
| Price Ex GST | \$123,750.00 |
| Price Inc GST | \$136,125.00 |
| SPECIFICATIONS | |
| Power | 13kW 31A 3PH 400V |
| Sound Output dB(A) | 83.5 |
| Max Air Flow at 5 Bar Nl/min | 1680 |
| Tank Size litres | 200 |
| DIMENSIONS | |
| Height mm | 2000 |
| Width mm | 1550 |
| Depth mm | 760 |

RELATED PRODUCTS



Quad 6 Cylinder

300

Ventilation fan kits



Three-phase compressor parallel connection kit



Service kit



Weight kg


CAD/CAM COMPRESSORS













THE OPTIMAL PURPOSE-BUILT MILL PERFORMANCE

Generalised solutions can be appealing in the short-term. In the case of dental grade air delivery, it is best to leave nothing to chance and have the right equipment fit for purpose. Cattani CAD/CAM compressors are built to maintain a constant and sustainable operating pressure of between 8 and 10 Bar, which is 2 Bar higher in pressure than the standard compressors.

IT'S NOT JUST EQUIPMENT, IT'S AN INVESTMENT

We believe in our equipment so much that we offer a 7-year full parts and labour warranty.

DENTAL GRADE HYGIENE

Cattani compressors produce quality dental grade air by removing 99.975% of particles down to 0.3 micron. Air is then preserved in a dual coated compressor tank lined with a food grade resin and Biocote® silver ion for antimicrobial protection. Cattani compressed air quality is supported by an ISO 8573-1 standard compliance with Class 1:4:2.

GUARANTEED CONTINUOUS AIRFLOW

Cattani compressors guarantee a constant supply of air from the dual coated tank, even during system regeneration and cooling times. The intelligent technology is designed this way to ensure maximum performance while preserving the life of the unit.

NOISE REDUCTION OPTIONS AVAILABLE

Where space is valuable and limited, noise can be an issue. For that, we offer noise reduction options for the (Q Series) CAD/CAM compressors.

COMPLIMENTARY AIRLINE INSTALLATION KIT

All compressors come with an airline installation kit – a "cost saving" package to minimise installer onsite costs, and offsite tool purchasing time.



AT CATTANI, WE DON'T COMPROMISE. WE SPECIALISE.



AC310 3 Cylinder CAD/CAM Compressor

One of the most popular model in our CAD/CAM compressor range, the AC310 comes with a 45-litre tank capacity. Cattani compressors are completely oil-free, offered specifically to meet the demands set by CAD/CAM manufacturers.

Details That Matter

- 7-year full parts and labour warranty
- Purpose-built to maintain an 8-bar pressure over long CAM cycles
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank
- Noise reduction option available (see AC310Q)
- Pre-filter for humid climates available upon request













| | AC310 |
|------------------------------------|----------------------------------|
| | 3 Cylinder CAD/CAM Compressor |
| Item Code | 013310 |
| Price Ex GST | \$11,270.00 |
| Price Inc GST | \$12,397.00 |
| SPECIFICATIONS | |
| Power | 1.5kW 10.2A 1PH 230V |
| Sound Output dB(A) | 73.6 |
| Continuous Airflow at 8 Bar Nl/min | 108 |
| Max Air Flow at 8 Bar Nl/min | 165 |
| Tank Size litres | 45 |
| DIMENSIONS | |
| Height mm | 750 |
| Width mm | 620 |
| Depth mm | 520 |
| Weight kg | 64 |

RELATED PRODUCTS



Ventilation fan kits





AC310Q Quiet 3 Cylinder CAD/CAM Compressor

The AC310Q comes with a 45-litre tank capacity. AC310Q comes with a 45-litre tank capacity, and is ideal when noise is an issue, making them an excellent option when milling equipment is close to the surgery.

Details That Matter

- 7-year full parts and labour warranty
- Acoustic hood for significant noise reduction
- Purpose-built to maintain an 8-bar pressure over long CAM cycles
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank
- Pre-filter for humid climates available upon request















LOW NOISE INCLUDES Q RANGE INSTALLATION

| INDENT ITEM | AC310Q |
|------------------------------------|--|
| | Quiet 3 Cylinder CAD/CAM Compressor |
| Item Code | 013355 |
| Price Ex GST | \$13,970.00 |
| Price Inc GST | \$15,367.00 |
| SPECIFICATIONS | |
| Power | 1.5kW 10.2A 1PH 230V |
| Sound Output dB(A) | 68 |
| Continuous Airflow at 8 Bar Nl/min | 108 |
| Max Air Flow at 8 Bar Nl/min | 165 |
| Tank Size litres | 45 |
| DIMENSIONS | |
| Height mm | 979 |
| Width mm | 720 |
| Depth mm | 700 |

RELATED PRODUCTS



Ventilation fan kits



80

Service kit



Weight kg

AC410 Tandem 2 Cylinder CAD/CAM Compressor

Specifically built for CAD/CAM milling, the AC410 compressor comes with a 100-litre tank capacity. This model is designed to deliver dry, oil-free, and hygienic air operating on three-phase power (single-phase also available).

Details That Matter

- 7-year full parts and labour warranty
- Purpose-built to maintain an 8-bar pressure over long CAM cycles
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank
- Noise reduction option available (see AC410Q)
- Single-phase option available (see AC410-1P)
- Pre-filter for humid climates available upon request















HEPA H14 FOR HUMID INCLUDES DRYER FILTER CLIMATES INSTALLATION

| INDENT ITEM | AC410 |
|------------------------------------|--------------------------------------|
| | Tandem 2 Cylinder CAD/CAM Compressor |
| Item Code | 013413 |
| Price Ex GST | \$16,700.00 |
| Price Inc GST | \$18,370.00 |
| SPECIFICATIONS | |
| Power | 3kW 7.2A 3PH 400V |
| Sound Output dB(A) | 73 |
| Continuous Airflow at 8 Bar Nl/min | 140 |
| Max Air Flow at 8 Bar Nl/min | 215 |
| Tank Size litres | 100 |
| DIMENSIONS | |
| Height mm | 745 |
| Width mm | 1155 |
| Depth mm | 550 |
| Weight kg | 112 |

RELATED PRODUCTS



Ventilation fan kits





AC410-1P Tandem 2 Cylinder CAD/CAM Compressor

Specifically built for CAD/CAM milling, the AC410-1P compressor comes with a 100-litre tank capacity. This model is designed to deliver dry, oil-free, and hygienic air operating on single-phase power (three-phase also available).

Details That Matter

- 7-year full parts and labour warranty
- Purpose-built to maintain an 8-bar pressure over long CAM cycles
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank.
- Noise reduction option available (see AC410Q-1P)
- Three-phase option available (see AC410)
- Pre-filter for humid climates available upon request















OIL HEP FREE DRYER

HEPA H14 FOR HUMID INCLUDES DRYER FILTER CLIMATES INSTALLATION

| INDENT ITEM | AC410-1P |
|------------------------------------|---|
| | Tandem 2 Cylinder CAD/CAM Compressor |
| Item Code | 013410 |
| Price Ex GST | \$16,700.00 |
| Price Inc GST | \$18,370.00 |
| SPECIFICATIONS | |
| Power | 2.4kW 15.4A 1PH 230V |
| Sound Output dB(A) | 73 |
| Continuous Airflow at 8 Bar Nl/min | 140 |
| Max Air Flow at 8 Bar Nl/min | 215 |
| Tank Size litres | 100 |
| DIMENSIONS | |
| Height mm | 745 |
| Width mm | 1155 |
| Depth mm | 550 |
| Weight kg | 112 |

RELATED PRODUCTS



Ventilation fan kits





AC410Q Quiet Tandem 2 Cylinder CAD/CAM Compressor

Specifically built for CAD/CAM milling, the AC410Q compressor comes with a 100-litre tank capacity. This model is designed for premium air delivery with noise reduction, operating on three-phase power (single-phase also available).

Details That Matter

- 7-year full parts and labour warranty
- Purpose-built to maintain an 8-bar pressure over long CAM cycles
- Acoustic hood for significant noise reduction
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank
- Single-phase option available (See AC410Q-1P)
- Pre-filter for humid climates available upon request















HEPA H14 DRYER FILTER

| INDENT ITEM | AC410Q |
|------------------------------------|---|
| | Quiet Tandem 2 Cylinder CAD/CAM Compressor |
| Item Code | 013458 |
| Price Ex GST | \$22,100.00 |
| Price Inc GST | \$24,310.00 |
| SPECIFICATIONS | |
| Power | 3kW 7.4A 3PH 400V |
| Sound Output dB(A) | 63.8 |
| Continuous Airflow at 8 Bar Nl/min | 140 |
| Max Air Flow at 8 Bar Nl/min | 215 |
| Tank Size litres | 100 |
| DIMENSIONS | |
| Height mm | 890 |
| Width mm | 1160 |
| Depth mm | 650 |

RELATED PRODUCTS



Ventilation fan kits



Service kit



Weight kg

135

AC410Q-1P Quiet Tandem 2 Cylinder CAD/CAM Compressor

Specifically built for CAD/CAM milling, the AC410Q-1P compressor comes with a 100-litre tank capacity. This model is designed for premium air delivery with noise reduction, operating on single-phase power (three-phase also available).

Details That Matter

- 7-year full parts and labour warranty
- Purpose-built to maintain an 8-bar pressure over long CAM cycles
- Acoustic hood for significant noise reduction
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank
- Three-phase option available (see AC410Q)
- Pre-filter for humid climates available upon request















LOW NOISE INCLUDES Q RANGE INSTALLATION

| INDENT ITEM | AC410Q-1P |
|------------------------------------|---|
| | Quiet Tandem 2 Cylinder CAD/CAM Compressor |
| Item Code | 013455 |
| Price Ex GST | \$22,100.00 |
| Price Inc GST | \$24,310.00 |
| SPECIFICATIONS | |
| Power | 2.4kW 15.4A 1PH 230V |
| Sound Output dB(A) | 63.8 |
| Continuous Airflow at 8 Bar Nl/min | 140 |
| Max Air Flow at 8 Bar Nl/min | 215 |
| Tank Size litres | 100 |
| DIMENSIONS | |
| Height mm | 890 |
| Width mm | 1160 |
| Depth mm | 650 |

RELATED PRODUCTS



Ventilation fan kits



Service kit



Weight kg

135

AC610 Tandem 3 Cylinder CAD/CAM Compressor

The AC610 compressor is designed to deliver premium quality for higher performance requirements. With a 150-litre tank capacity, this oil-free compressor has been rigorously tested to deliver world-class precision for CAD/CAM milling.

Details That Matter

- 7-year full parts and labour warranty
- Purpose-built to maintain an 8-bar pressure over long CAM cycles
- 150-litre tank capacity
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank
- Noise reduction option available (see AC610Q)
- Pre-filter for humid climates available upon request















HEPA H14 FOR HUMID INCLUDES DRYER FILTER CLIMATES INSTALLATION

| INDENT ITEM | AC610 |
|------------------------------------|---|
| | Tandem 3 Cylinder CAD/CAM Compressor |
| Item Code | 013513 |
| Price Ex GST | \$20,090.00 |
| Price Inc GST | \$22,099.00 |
| SPECIFICATIONS | |
| Power | 3kW 7.4A 3PH 400V |
| Sound Output dB(A) | 74 |
| Continuous Airflow at 8 Bar Nl/min | 217 |
| Max Air Flow at 8 Bar Nl/min | 330 |
| Tank Size litres | 150 |
| DIMENSIONS | |
| Height mm | 890 |
| Width mm | 1320 |
| Depth mm | 590 |
| Weight kg | 137 |

RELATED PRODUCTS



Ventilation fan kits



Service kit



AC610Q Quiet Tandem 3 Cylinder CAD/CAM Compressor

The AC610Q compressor comes with a 150-litre tank capacity for higher performance requirements. Our Q series of compressors significantly reduces noise levels, making them an excellent option when CAD/CAM equipment is close to the surgery.

Details That Matter

- 7-year full parts and labour warranty
- Purpose-built to maintain an 8-bar pressure over long CAM cycles
- Acoustic hood for significant noise reduction
- 150-litre tank capacity
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank
- Pre-filter for humid climates available upon request















LOW NOISE INCLUDES Q RANGE INSTALLATION

| INDENT ITEM | AC610Q |
|------------------------------------|---|
| | Quiet Tandem 3 Cylinder CAD/CAM Compressor |
| Item Code | 013558 |
| Price Ex GST | \$25,490.00 |
| Price Inc GST | \$28,039.00 |
| SPECIFICATIONS | |
| Power | 3kW 7.4A 3PH 400V |
| Sound Output dB(A) | 70.4 |
| Continuous Airflow at 8 Bar Nl/min | 217 |
| Max Air Flow at 8 Bar Nl/min | 330 |
| Tank Size litres | 150 |
| DIMENSIONS | |
| Height mm | 1040 |
| Width mm | 1320 |
| Depth mm | 770 |
| Weight kg | 169 |

RELATED PRODUCTS



Ventilation fan kits



Service kit



AC910 Triple 3 Cylinder CAD/CAM Compressor

Our largest of the CAD/CAM compressor range, the AC910 comes with a 300-litre tank capacity. All our compressors are oil-free and have been rigorously tested to deliver world class performance in dental air technology.

Details That Matter

- 7-year full parts and labour warranty
- Purpose-built to maintain an 8-bar pressure over long CAM cycles
- 300-litre tank capacity
- Certified food grade resin coated tank
- Added antimicrobial protection with Biocote® silver-ion lining in tank.
- Pre-filter for humid climates available upon request













HEPA H14 FOR HUMID INCLUDES DRYER FILTER CLIMATES INSTALLATION

| INDENT ITEM | AC910 |
|------------------------------------|---|
| | Triple 3 Cylinder CAD/CAM Compressor |
| Item Code | 013578 |
| Price Ex GST | \$33,000.00 |
| Price Inc GST | \$36,300.00 |
| SPECIFICATIONS | |
| Power | 4.5kW 11.1A 3PH 400V |
| Sound Output dB(A) | 75 |
| Continuous Airflow at 8 Bar Nl/min | 326 |
| Max Air Flow at 8 Bar Nl/min | 495 |
| Tank Size litres | 300 |
| DIMENSIONS | |
| Height mm | 1000 |
| Width mm | 1800 |
| Depth mm | 810 |
| Weight kg | 260 |

RELATED PRODUCTS



Ventilation fan kits



Service kit



COMPRESSOR ACCESSORIES

Acoustic Cabinet for AC100, AC200 and AC300

The Cattani acoustic cabinet is a complete weatherproof, temperature controlled and acoustic solution. Designed for both outdoors or indoors installation. The cabinet is made using electro-galvanised metal plate and epoxy-polyester powders that can withstand rain and direct sunlight in hot and cold climates. The cabinet includes an inbuilt fan to effectively ventilate the compressor.

Reduces noise of the compressor to:

AC100 - 50 dB(A)

AC200 - 51 dB(A)

AC300 - 51 dB(A)



| Order Number | Description | Price Inc GST |
|--------------|------------------------------------|---------------|
| K-010800 | Acoustic Cabinet | \$5,142.50 |
| | 870mm W x 887mm H x 700mm D (84kg) | |

Single Phase Compressor Parallel Connection Kit

Designed to allow like for like compressors to run in parallel allowing for greater dental chair capacity.

D-RK2000 - Suitable to run 2 x AC100, 2 x AC200 or 2 x AC300

D-RK3000 - Suitable to run 2 x AC300Q

| Order Number | Price Inc GST |
|--------------|---------------|
| D-RK2000 | \$2,343.00 |
| D-RK3000 | \$2,343.00 |



Three Phase Compressor Parallel Connection Kit

Designed to allow up to 4 of the same three phase type of compressors to run in parallel allowing for greater dental chair capacity.

| Order Number | Description | Price Inc GST |
|--------------|------------------------------------|---------------|
| K-070904 | Suitable for 3PH compressor models | \$3,998.50 |

*Please contact your Business Development Manager for recommendations on the appropriate air regulator for multiple compressor installations.





HEPA H14 Filter for Compressor Drying Column

HEPA H14 filter and o-ring pack for drying column.

| Order Number | Pack Qty | Price Inc GST |
|--------------|----------|---------------|
| K168429-1 | 1 | \$137.50 |
| K168429-10 | 10 | \$1,171.50 |
| K168429-30 | 30 | \$3,096.50 |



Air Inlet Filter for Compressor Head Unit

| Order Number | Pack Qty | Price Inc GST |
|--------------|----------|---------------|
| K-168563 | 1 | \$84.81 |
| K-168563-10 | 10 | \$716.10 |
| K-168563-50 | 50 | \$2,992.00 |



Dryer Pre Filter (for Humid Climates) Kit for Compressor

Fitted between the condenser and the desiccant dryer, and removes a percentage of condensation from the air before reaching the dryer. Can be easily retrofitted to existing compressors. (1 filter required per desiccant dryer, therefore 2 filters required for AC400 and AC600 etc).

| Order Number | Pack Qty | Price Inc GST |
|--------------|----------|---------------|
| K-E10000 | 1 | \$716.10 |



Ventilation Fan Kits

Recommendations – 150 m³/hr for each kW of equipment installed.

| Order Number | Description | Price Inc GST |
|--------------|---|---------------|
| L-TD2500-KIT | 250m³/hr kit includes fan, ducting and vent cover | \$996.60 |
| L-TD5000-150 | 500m³/hr kit includes fan, ducting and vent cover | \$1,496.00 |
| L-TD8000 | 800m³/hr kit includes fan only | \$1,710.50 |







Minor Service Kits (HEPA H14 Filter for Drying Column)

Includes inlet filters for head unit, HEPA H14 filter for the drying column and a replacement o-ring.

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|--|----------|---------------|
| K-SK1013B | 1 Cylinder Head Unit with HEPA H14 Filter – Minor Service K | 1 it | \$243.10 |
| K-SK2013B | 2 Cylinder Head Unit with HEPA H14 Filter – Minor Service K | 1 it | \$329.45 |
| K-SK3013B | 3 Cylinder Head Unit with HEPA H14 Filter – Minor Service K | 1 it | \$412.50 |
| K-SK010611B | 6 Cylinder Head Unit with HEPA H14 Filter – Minor Service K | 1 it | \$661.10 |



Intermediate Service Kits (HEPA H14 Filter for Drying Column) Single Phase Systems Only

Includes inlet filters for head unit, HEPA H14 filter for the drying column, a replacement o-ring and suitable motor start capacitor.

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|---|----------|---------------|
| K-SK101B | 1 Cylinder Head Unit with HEPA H Filter - Intermediate Service Kit | 14 1 | \$372.90 |
| K-SK201B | 2 Cylinder Head Unit with HEPA H Filter - Intermediate Service Kit | 14 1 | \$565.95 |
| K-SK301B | 3 Cylinder Head Unit with HEPA H Filter - Intermediate Service Kit | 14 1 | \$598.40 |



Compressor Airline Installation Kit

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|--|----------|---------------|
| K-E20000 | Compressor Airline Connection Kit with Reg and Gauge (AC100-AC300) | 1 | \$181.50 |
| K-E30000 | Compressor Airline Connection Kit with Reg and Gauge (AC400-AC600) | 1 | \$308.00 |
| K-E3000Q | Compressor Airline Connection Kit with Reg and Gauge (AC400Q-AC600Q) | 1 | \$308.00 |
| K-E90000 | Compressor Airline Connection Kit with Reg and Gauge (AC900) | 1 | \$308.00 |

Note: These kits are included with compressor purchase.

Capacitors

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|---|----------|---------------|
| C-189146 | 20 μF Capacitor C87.0 "UL" Metal With 150mm Cable AC100 and AC100Q | 1 | \$125.40 |
| C-189147 | 40 μF Capacitor C87.0 "UL" Metal With 350mm Cable AC200 and AC200Q | 1 | \$199.10 |
| C-189148 | 55 μF Capacitor C87.0 "UL" Metal With 150mm Cable AC300 and AC300Q | 1 | \$249.15 |



SMART SUCTION









IVERTER ONTROL

SAM LOW NO TION O RAN





SMART AND ECONOMICAL

Pioneered by Cattani, the inverter control intelligence is designed to optimise performance suction, while reducing energy costs. From the number of chairs in use, down to size of suction tip, the inverter control senses the real-time requirements of your practice, to adjust the unit speed and output accordingly. No more, no less.

SMART SELF-PROTECTION MODE

In the event of a functional anomaly that could damage the machine, such as overload of fluids, excessive temperatures or even power surge, the SMART suction unit automatically switches to self-protection mode to overcome the issue, returning to normal operation once the situation is stabilised.

NOISE REDUCTION BY HALF

The SMART Cube suction range is a perfect example of what can be achieved by Cattani innovation. The Cube's acoustic housing has the ability to cut perceived noise by half, not to mention the lower running costs through its clever design and inverter technology.

PLUG AND PLAY POSSIBILITIES

As a market leader in modular installations, our "plug and play" parallel installation allows SMART suction systems to communicate with each other to deliver precise performance for your practice. From the single chair up to a hospital and university set-up, we have configurations to suit all needs, while ensuring built-in redundancy to ensure continuous operation.

AMALGAM RETENTION

As a world leader in amalgam separation, Cattani's Hydrocyclone technology is at the forefront of amalgam retention technology. The Hydrocyclone has a retention rate of more than 98%, with no extra power consumption or noise, and can be easily retrofitted by a technician.

IT'S NOT JUST EQUIPMENT, IT'S AN INVESTMENT

We believe in our equipment so much that we offer an 3-year warranty (including full parts and labour) on all our SMART suction units

INSTALLATION EASE

All SMART suction systems come with an installation kit – a "cost saving" package to minimise installer onsite and offsite expenses.



Turbo SMART Cube

AT CATTANI, WE DON'T COMPROMISE, WE OPTIMISE.



SMART CUBE: HALF AS LOUD



ENVIRONMENTAL SUSTAINABILITY

The introduction of our SMART suction systems in 2015 has shown a significant reduction in raw materials used compared to our Classic suction range. The vast improvement from this evolution has been evident in our Turbo SMART Cube system, where 13 kg (59%) of raw materials have been spared in each unit.

- Acoustic housing cuts perceived noise by 50%
- Inverter control slashes energy consumption
- Active self-protection mode during emergencies
- Sustainable production
- 3-year warranty with full parts and labour

PEACE AND QUIET, PEACE OF MIND

All plant room equipment generates fluctuating noise which is inevitable at any dental practice. This led Cattani engineers to develop an innovative solution that not only reduces noise, but also with lower operating costs. Cattani's SMART Cube suction range is the prime example of what can be achieved with noise reduction and other efficiencies.

THE SCIENCE WITHIN THE HOUSING

Cattani's engineers have been able to cut perceived noise by 50% with the Cube's acoustic housing. The Cube's compact design is just as powerful as its SMART counterparts, but uses a smaller motor, translating into lower running costs. With inverter technology as part of the package, energy savings are a given with SMART Cube.

SMART SELF-PROTECTION MODE

In the event of a functional anomaly that could damage the machine. such as overload of fluids, excessive temperatures or even power surge, the SMART suction unit automatically switches to self-protection mode to overcome the issue, returning to normal operation once the situation is stabilised.

SMART CUBE PROMISES NOT ONLY PEACE AND QUIET, BUT ALSO PEACE OF MIND.



INVERTER TECHNOLOGY

THE TRUE MEANING OF PEAK PRECISION PERFORMANCE

Traditionally, conventional motor systems can lose over half their input energy before delivering end-use service. Therefore, whilst performance of the individual motor may be high, the efficiency of the whole system could improve substantially. This is where Cattani's inverter technology helps overcome this energy efficiency problem.

Cattani pioneered the use of inverter technology in dental suction equipment, which use a variable frequency drive (VFD) or variable speed drive (VSD) to control the speed of the motor for the purpose of energy saving and precision in performance control.

BENEFITS OF INVERTER CONTROL:

- Power saving efficiency
- Independent variable speed control and speed transition control of the centrifugal separator and suction motor
- System management from multiple inputs (voltage monitoring, current monitoring, temperature monitoring for machine self-protection and fluid flow management).

ULTIMATE CONTROL

The inverter technology controls the rotational speed of the motor by controlling its frequency and voltage supply. As the performance demand changes, the inverter control can simply increase or decrease the motor speed to meet the suction requirement. Each motor, (centrifuge and suction) are intelligently controlled by an independent inverter module. The result is constant, consistent, and reliable suction for a great patient and user experience.

WHY SMART MATTERS

SMART suction inverter technology uses sensors to measure this demand for suction and adjusts the motor's speed to deliver precision performance. From the number of chairs in use, right down to size of suction tip and volume of fluids being aspirated, the inverter control identifies real-time requirements of your practice, monitoring its performance, as well as detecting and reporting abnormalities.

PLUG AND PLAY, FOR CONTINUOUS OPERATION

Thanks to inverter technology,
Cattani leads the way in modular
installation of parallel units. Our
"plug and play" parallel installation
allows SMART suction systems to
communicate with each other to
deliver peak precision performance
for your facility. From the single
chair up to a hospital and university
set-up, we have configurations to
suit all needs, while ensuring
built-in redundancy to
ensure continuous
operation.

AT CATTANI, WE HAVE MASTERED PRECISION.





AMALGAM RETENTION: THE CATTANI HYDROCYCLONE

Cattani is passionate about protecting the environment for future generations and has been at the forefront of addressing amalgam retention and separation.

The Hydrocyclone is a clever and effective concept that uses the fluid pressure created by the suction system to separate and retain amalgam, all without the need for moving parts. Fluids enter the Hydrocyclone cone and are forced downward in a spiral motion.

When the fluids hit the base of the Hydrocyclone they are forced to make a rapid inversion, while the heavier amalgam particles fall into a collection canister. If fluid velocity is not sufficient to achieve maximum retention, the system is intelligent enough to force the fluids back into the machine to recirculate until retention is achieved.

The retention rate of 98% or more exceeds with ISO 11143.

NO ADDITIONAL POWER CONSUMPTION, NO NOISE, **NO EXTRA SPACE**

The beauty of the Hydrocyclone unit is that it uses no additional power at all, creates no noise, and operates within the same footprint of the SMART suction system. This is a revolutionary step towards a more sustainable world.

EASY INSTALLATION WITH RETROFIT OPTION

Cattani SMART suction units can easily be retrofitted with Hydrocyclone units at any stage. As the Hydrocyclone fits within the same footprint of the existing SMART suction system no additional space requirements are needed.

The process is carried out onsite by a trained technician and takes less than an hour, to ensure minimal disruption to operation.

COLLECTION AND REPLACEMENT

Efficient collection and replacement of canisters is also very simple. Cattani has partnered with specialist recycling company ECOCYCLE.

Contact ECOCYCLE directly to arrange your canister collection and recycling:



AU: 1300 32 62 92 NZ: 0800 732 922



- Exceeds ISO 11143 Amalgam retention standard
- Fits within footprint of suction system
- · No additional power required
- No additional noise

AT CATTANI, WE ARE ABOUT SUSTAINABILITY.

Micro SMART with Keypad | 1-2 chairs

The most compact of our high-performance SMART suction range, the Micro SMART with Keypad is designed to serve 1 to 2 chairs. Developed with inverter control to provide consistent, high-performance suction while reducing energy costs.

Details That Matter

- 3-year full parts and labour warranty
- Inverter control for performance and energy efficiency
- SMART self-protection in case of functional anomalies
- Modular installation capabilities
- Noise reduction option available (see SMART Cube)
- Amalgam retention option available











| | Micro SMART with Keypad |
|--|-------------------------|
| Item Code | 035050TP |
| Price Ex GST | \$7,525.00 |
| Price Inc GST | \$8,277.50 |
| SPECIFICATIONS | |
| Power | 1.12kW 8A 1PH 230V |
| Sound Output dB(A) | 64 |
| Max Air Flow at I/min | 900 |
| Max Vacuum for Continuous Operation mBar | 210 |
| DIMENSIONS | |
| Height mm | 600 |
| Width mm | 380 |
| Depth mm | 350 |
| Weight kg | 33 |

RELATED PRODUCTS



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner





Micro SMART with ISO 6 Hydrocyclone | 1-2 chairs

The most compact of our high-performance SMART suction range, the Micro SMART is designed to serve 1 to 2 chairs. Integrated with ISO 6 Hydrocyclone amalgam retention.

Details That Matter

- 3-year full parts and labour warranty
- ISO 6 Hydrocyclone amalgam retention
- Inverter control for performance and energy efficiency
- SMART self-protection in case of functional anomalies
- Modular installation capabilities
- Noise reduction option available (see SMART Cube)













AMALGAM INCLUDES RETENTION INSTALLATION

| | TAT |
|-------------------------------------|-------------------------------------|
| | Micro SMART with ISO 6 Hydrocyclone |
| Item Code | 035060 |
| Price Ex GST | \$8,070.00 |
| Price Inc GST | \$8,887.00 |
| SPECIFICATIONS | |
| Power | 1.12kW 8A 1PH 230V |
| Sound Output dB(A) | 64 |
| Max Air Flow at I/min | 900 |
| Max Vacuum for Continuous Operation | mBar 210 |
| DIMENSIONS | |
| Height mm | 600 |
| Width mm | 380 |
| Depth mm | 350 |
| Weight kg | 33 |



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner



Antifoaming
Disinfectant Tablets



Micro SMART Cube | 1-2 chairs

The most compact of our high-performance SMART suction Cube range, the Micro SMART Cube is designed to serve 1 to 2 chairs. The Cube's acoustic housing cuts perceived noise by 50%.

Details That Matter

- 3-year full parts and labour warranty
- Acoustic housing reducing perceived noise by 50%
- Inverter control for performance and energy efficiency
- SMART self-protection in case of functional anomalies
- Modular installation capabilities
- Amalgam retention option available











LOW NOISE

Micro SMART Cube Item Code 035031TP Price Ex GST \$8,280.00 Price Inc GST \$9,108.00 **SPECIFICATIONS** Power 0.95KW 5.8A 1PH 230V Sound Output dB(A) 59 Max Air Flow at I/min 1000 Max Vacuum for Continuous Operation mBar 210 **DIMENSIONS** Height mm 470 420 Width mm Depth mm 350 Weight kg 31

RELATED PRODUCTS



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner





Micro SMART Cube with ISO 6 Hydrocyclone | 1-2 chairs

The most compact of our high-performance SMART suction Cube range, the Micro SMART is designed to serve 1 to 2 chairs. Integrated with amalgam retention, the Cube's acoustic housing cuts perceived noise by 50%.

Details That Matter

- 3-year full parts and labour warranty
- Acoustic housing reducing perceived noise by 50%
- ISO 6 Hydrocyclone amalgam retention
- Inverter control for performance and energy efficiency
- SMART self-protection in case of functional anomalies
- Modular installation capabilities













| Micro SMART Cube wit | h ISO 6 Hydrocyclone |
|--|-------------------------|
| Item Code | 035030 |
| Price Ex GST | \$8,825.00 |
| Price Inc GST | \$9,707.50 |
| SPECIFICATIONS | |
| Power | 0.95KW 5.8A 1PH 230V |
| Sound Output dB(A) | 59 |
| Max Air Flow at I/min | 1000 |
| Max Vacuum for Continuous Operation mBar | 210 |
| DIMENSIONS | |
| Height mm | 470 |
| Width mm | 420 |
| Depth mm | 350 |
| Weight kg | 31 |



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner



Antifoaming Disinfectant Tablets



Turbo SMART A | 2-3 chairs

Designed with Cattani pioneered inverter technology, the Turbo SMART A delivers consistent, high-performance suction to 2 to 3 chairs. Capable of upgrading to Turbo SMART B to serve 4 chairs, without the need for additional space.

Details That Matter

- 3-year full parts and labour warranty
- Capability to upgrade to a 4-chair capacity
- Inverter control for performance and energy efficiency
- SMART self-protection in case of functional anomalies
- Modular installation capabilities
- Amalgam retention option available
- Noise reduction option available (see SMART Cube)









| | Turbo SMART A |
|--|------------------------|
| Item Code | 035105 |
| Price Ex GST | \$10,250.00 |
| Price Inc GST | \$11,275.00 |
| SPECIFICATIONS | |
| Power | 1.5kW 6.5A 1PH 230V |
| Sound Output dB(A) | 69 |
| Max Air Flow at I/min | 1400 |
| Max Vacuum for Continuous Operation mBar | 210 |
| DIMENSIONS | |
| Height mm | 645 |
| Width mm | 400 |
| Depth mm | 330 |
| Weight kg | 49 |

RELATED PRODUCTS



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner



Antifoaming Disinfectant Tablets



CONTENTS

Turbo SMART A with ISO 18 Hydrocyclone | 2-3 chairs

Designed with inverter technology, the Turbo SMART A delivers consistent, high-performance suction to 2 to 3 chairs. Integrated with amalgam retention, with the capability of upgrading to Turbo SMART B to serve 4 chairs.

Details That Matter

- 3-year full parts and labour warranty
- Capability to upgrade to a 4-chair capacity
- ISO 18 Hydrocyclone amalgam retention
- Inverter control for performance and energy efficiency
- SMART self-protection in case of functional anomalies
- Modular installation capabilities.
- Noise reduction option available (see SMART Cube)











| 4XI | | | U) | |
|--------------------|---------------------|----------------------|---------------------------------|--------------------------------|
| 3 YEAR WARRANTY | INVERTER CONTROL | AMALGAM RETENTION | INCLUDES INSTALLATION KIT | |
| | | | Turbo SM | ART A with ISO 18 Hydrocyclone |
| Item Code | | | | 035115 |
| Price Ex GS | ST . | | | \$10,795.00 |
| Price Inc G | ST | | | \$11,874.50 |
| | | | | |

| Price Inc GST | \$11,874.50 |
|--|------------------------|
| SPECIFICATIONS | |
| Power | 1.5kW 6.5A 1PH 230V |
| Sound Output dB(A) | 69 |
| Max Air Flow at I/min | 1400 |
| Max Vacuum for Continuous Operation mBar | 210 |
| DIMENSIONS | |
| Height mm | 645 |
| Width mm | 400 |
| Depth mm | 330 |

RELATED PRODUCTS

50



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner



Antifoaming Disinfectant Tablets



Weight kg

Turbo SMART A Cube | 2-3 chairs

Designed with inverter technology, the Turbo SMART A delivers consistent, high-performance suction to 2 to 3 chairs. Comes with noise reduction acoustic housing, with the capability of upgrading to Turbo SMART B to serve 4 chairs.

Details That Matter

- 3-year full parts and labour warranty
- Acoustic housing reducing perceived noise by 50%
- Capability to upgrade to a 4-chair capacity
- Inverter control for performance and energy efficiency
- SMART self-protection in case of functional anomalies
- Modular installation capabilities
- Amalgam retention option available











LOW NOISE

| | Turbo SMART A Cube |
|--|------------------------|
| Item Code | 035121 |
| Price Ex GST | \$11,165.00 |
| Price Inc GST | \$12,281.50 |
| SPECIFICATIONS | |
| Power | 1.1kW 6.8A 1PH 230V |
| Sound Output dB(A) | 60 |
| Max Air Flow at I/min | 1400 |
| Max Vacuum for Continuous Operation mBar | 200 |
| DIMENSIONS | |
| Height mm | 650 |
| Width mm | 500 |
| Depth mm | 370 |
| Weight kg | 43 |

RELATED PRODUCTS



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner



Antifoaming Disinfectant Tablets



CONTENTS

Turbo SMART A Cube with ISO 18 Hydrocyclone | 2-3 chairs

Designed with inverter technology, the Turbo SMART A delivers consistent, high-performance suction to 2 to 3 chairs. Integrated with Hydrocyclone amalgam retention, with the capability of upgrading to Turbo SMART B to serve 4 chairs.

Details That Matter

- 3-year full parts and labour warranty
- Acoustic housing reducing perceived noise by 50%
- ISO 18 Hydrocyclone amalgam retention
- Capability to upgrade to a 4-chair capacity
- Inverter control for performance and energy efficiency
- SMART self-protection in case of functional anomalies













| Turbo SMART A Cube wit | h ISO 18 Hydrocyclone |
|--|------------------------|
| Item Code | 035120 |
| Price Ex GST | \$11,710.00 |
| Price Inc GST | \$12,881.00 |
| SPECIFICATIONS | |
| Power | 1.1kW 6.8A 1PH 230V |
| Sound Output dB(A) | 60 |
| Max Air Flow at I/min | 1400 |
| Max Vacuum for Continuous Operation mBar | 200 |
| DIMENSIONS | |
| Height mm | 650 |
| Width mm | 500 |
| Depth mm | 370 |
| Weight kg | 44 |



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner



Antifoaming Disinfectant Tablets



Turbo SMART B | Up to 4 chairs

Designed with Cattani pioneered inverter technology, the Turbo SMART B adjusts performance according to suction demands, improving energy efficiency. This model delivers consistent, high-performance suction to 4 chairs.

Details That Matter

- 3-year full parts and labour warranty
- Inverter technology for performance control and energy efficiency
- SMART self-protection in case of functional anomalies
- Modular installation capabilities
- Amalgam retention option available
- Noise reduction option available (see SMART Cube)









| | Turbo SMART B |
|--|------------------------|
| Item Code | 035105B |
| Price Ex GST | \$11,525.00 |
| Price Inc GST | \$12,677.50 |
| SPECIFICATIONS | |
| Power | 1.8kW 7.5A 1PH 230V |
| Sound Output dB(A) | 73.7 |
| Max Air Flow at I/min | 1750 |
| Max Vacuum for Continuous Operation mBar | 210 |
| DIMENSIONS | |
| Height mm | 645 |
| Width mm | 400 |
| Depth mm | 330 |
| Weight kg | 50 |

CONTENTS

RELATED PRODUCTS



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner





Turbo SMART B with ISO 18 Hydrocyclone | Up to 4 chairs

Designed with Cattani pioneered inverter technology, the Turbo SMART B delivers consistent, high-performance suction to 4 chairs. Integrated with ISO 18 Hydrocyclone amalgam retention.

Details That Matter

- 3-year full parts and labour warranty
- Inverter control for performance and energy efficiency
- ISO 18 Hydrocyclone amalgam retention
- SMART self-protection in case of functional anomalies
- Modular installation capabilities
- Noise reduction option available (see SMART Cube)











| Turbo SN | MART B with ISO 18 Hydrocyclone |
|--|---------------------------------|
| Item Code | 035115B |
| Price Ex GST | \$12,070.00 |
| Price Inc GST | \$13,277.00 |
| SPECIFICATIONS | |
| Power | 1.8kW 7.5A 1PH 230V |
| Sound Output dB(A) | 73.7 |
| Max Air Flow at I/min | 1750 |
| Max Vacuum for Continuous Operation mBar | 210 |
| DIMENSIONS | |
| Height mm | 645 |
| Width mm | 400 |
| Depth mm | 330 |
| Weight kg | 50 |



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner



Antifoaming Disinfectant Tablets



Turbo SMART B Cube | Up to 4 chairs

Designed with Cattani-pioneered inverter technology, the Turbo SMART B adjusts performance according to suction demands, improving energy efficiency. Comes with noise reduction acoustic housing, delivering high-performance suction to 4 chairs.

Details That Matter

- 3-year full parts and labour warranty
- Acoustic housing reducing perceived noise by 50%
- Inverter technology for performance control and energy efficiency
- SMART self-protection in case of functional anomalies
- Modular installation capabilities
- Amalgam retention option available











.OW DISE

Turbo SMART B Cube Item Code 035121B Price Ex GST \$12,440.00 Price Inc GST \$13,684.00 **SPECIFICATIONS** Power 1.5kW 8.7A 1PH 230V Sound Output dB(A) 60 Max Air Flow at I/min 1700 Max Vacuum for Continuous Operation mBar 200 **DIMENSIONS** 650 Height mm Width mm 500 Depth mm 370 Weight kg 44

RELATED PRODUCTS



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner





Turbo SMART B Cube with ISO 18 Hydrocyclone | Up to 4 chairs

Designed with Cattani-pioneered inverter technology, the Turbo SMART B delivers consistent, high-performance suction to 4 chairs. Comes with noise reduction acoustic housing and integrated with ISO 18 Hydrocyclone amalgam retention.

Details That Matter

- 3-year full parts and labour warranty
- ISO 18 Hydrocyclone amalgam retention
- Acoustic housing reducing perceived noise by 50%
- Inverter control for performance and energy efficiency
- SMART self-protection in case of functional anomalies
- Modular installation capabilities













| Turbo SMART B Cube with ISO | 18 Hydrocyclone |
|--|------------------------|
| Item Code | 035120B |
| Price Ex GST | \$12,985.00 |
| Price Inc GST | \$14,283.50 |
| SPECIFICATIONS | |
| Power | 1.5kW 8.7A 1PH 230V |
| Sound Output dB(A) | 60 |
| Max Air Flow at I/min | 1700 |
| Max Vacuum for Continuous Operation mBar | 200 |
| DIMENSIONS | |
| Height mm | 650 |
| Width mm | 500 |
| Depth mm | 370 |
| Weight kg | 44 |



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner



Antifoaming Disinfectant Tablets



TURBO SMART HP

High-Performance | 338 mbar Vacuum Pressure | 3 Chairs*









Raising The Bar

From dental hygiene to oral surgery, the all-new TURBO SMART HP is the next generation of first-class dental suction to deliver constant peak performance, fully customisable to suit your dental clinic and individual requirements.

- High performance 338 mBar vacuum pressure for highly personalised dental suction performance
- Capability to customise suction power to serve 4 surgeries*
- Purpose-built for intraoral dental aerosol control
- 70db(A) improved noise reduction via ventilation technology
- Improved dual-contour blade design for more suction power while using less energy
- Additional vacuum pressure ideal for where dental surgeries have challenging pipework



| INDENT ITEM | Turbo SMART HP with ISO 18 Hydrocyclone |
|--------------------------------|---|
| Item Code | 035145 |
| Price Ex GST | \$17,500.00 |
| Price Inc GST | \$19,250.00 |
| SPECIFICATIONS | |
| Power | 2.7kW 12A 1PH 230V |
| Sound Output dB(A) | 70 |
| Max Air Flow at I/min | 1916 |
| Max Vacuum for Continuous Oper | ation mBar 338 |
| DIMENSIONS | |
| Height mm | 765 |
| Width mm | 460 |
| Depth mm | 350 |
| Weight kg | 55 |

^{* 3} chairs as standard, 4 chairs dependent on maximum head setting. For more information, please contact us on +61 3 9484 1120.



Tandem Micro SMART | Up to 4 chairs

The most compact of our high-performance SMART suction range, installed in parallel to deliver twice the suction performance. Using Cattani pioneered inverter technology, the Tandem Micro SMART is designed to serve 4 chairs.

Details That Matter

- 3-year full parts and labour warranty
- Installed in parallel with twice the suction
- Inverter control for performance and energy efficiency
- SMART self-protection in case of functional anomalies
- Compatible with Vento frame
- Amalgam retention option available











Model with ISO 6 Hydrocyclone pictured.

| | Tandem Micro SMART |
|--|--|
| Item Code | 035050TX2 |
| Price Ex GST | \$16,505.00 |
| Price Inc GST | \$18,155.50 |
| SPECIFICATIONS | |
| Power | 2 x 1.12kW 8A 1PH 230V 2 x 10A power outlets required |
| Sound Output dB(A) | 67-74 |
| Max Air Flow at I/min | 1824 |
| Max Vacuum for Continuous Operation mBar | 210 |
| DIMENSIONS | |
| Height mm | 600 |
| Width mm | 1030 |
| Depth mm | 640 |
| Weight kg | 50 |



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner



Antifoaming Disinfectant Tablets



Tandem Micro SMART with ISO 6 Hydrocyclone | Up to 4 chairs

The most compact of our high-performance SMART suction range installed in parallel to deliver twice the suction performance. Integrated with ISO 6 Hydrocyclone amalgam retention, the Tandem Micro SMART is designed to serve 4 chairs.

Details That Matter

- 3-year full parts and labour warranty
- Installed in parallel with twice the suction
- ISO 6 Hydrocyclone amalgam retention
- Inverter control for performance and energy efficiency
- SMART self-protection in case of functional anomalies
- Compatible with Vento frame











| • | | |
|---------|---------------------------------|--|
| M ON | INCLUDES INSTALLATION KIT | |
| | | |

| Tandem Micro | SMART with ISO 6 Hydrocyclone |
|--|--|
| Item Code | 035060X2 |
| Price Ex GST | \$17,595.00 |
| Price Inc GST | \$19,354.50 |
| SPECIFICATIONS | |
| Power | 2 x 1.12kW 8A 1PH 230V 2 x 10A power outlets required |
| Sound Output dB(A) | 67-74 |
| Max Air Flow at I/min | 1824 |
| Max Vacuum for Continuous Operation mBar | 210 |
| DIMENSIONS | |
| Height mm | 600 |
| Width mm | 1030 |
| Depth mm | 640 |
| Weight kg | 50 |

RELATED PRODUCTS



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner






Tandem Turbo SMART A | Up to 5 chairs

Designed with inverter technology, the Turbo SMART A units are installed in parallel to deliver twice the suction performance. This model delivers consistent suction to 5 chairs, with the capability of upgrading to Turbo SMART B to serve 8 chairs.

Details That Matter

- 3-year full parts and labour warranty
- Installed in parallel with twice the suction
- Capability to upgrade to an 8-chair capacity
- Inverter control for performance and energy efficiency
- SMART self-protection in case of functional anomalies
- Compatible with Vento frame
- Amalgam retention option available











| | Tandem Turbo SMART A |
|--|---|
| Item Code | 035105X2 |
| Price Ex GST | \$23,365.00 |
| Price Inc GST | \$25,701.50 |
| SPECIFICATIONS | |
| Power | 1.5kW 6.5A 1PH 230V 2 x 10A power outlets required |
| Sound Output dB(A) | 72 |
| Max Air Flow at I/min | 2860 |
| Max Vacuum for Continuous Operation mBar | 210 |
| DIMENSIONS | |
| Height mm | 740 |
| Width mm | 1250 |
| Depth mm | 760 |
| Weight kg | 85 |



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner



Antifoaming
Disinfectant Tablets



Tandem Turbo SMART A with ISO 18 Hydrocyclone | Up to 5 chairs

Integrated with ISO 18 Hydrocyclone amalgam retention, this model is installed in parallel to deliver twice the suction output. This model delivers high-performance suction to 5 chairs, with the capability of upgrading to Turbo SMART B to serve 8 chairs.

Details That Matter

- 3-year full parts and labour warranty
- ISO 18 Hydrocyclone amalgam retention
- Installed in parallel with twice the suction
- Capability to upgrade to an 8-chair capacity
- Inverter control for performance and energy efficiency
- SMART self-protection in case of functional anomalies
- Compatible with Vento frame











| ER)L | AMALGAM RETENTION | INCLUDES INSTALLATION KIT | |
|----------|----------------------|---------------------------------|--|
| | | | |

| Tandem Turbo SMART | A with 2 x ISO 18 Hydrocyclone |
|--|---|
| Item Code | 035115X2 |
| Price Ex GST | \$24,455.00 |
| Price Inc GST | \$26,900.50 |
| SPECIFICATIONS | |
| Power | 1.5kW 6.5A 1PH 230V 2 x 10A power outlets required |
| Sound Output dB(A) | 72 |
| Max Air Flow at I/min | 2860 |
| Max Vacuum for Continuous Operation mBar | 210 |
| DIMENSIONS | |
| Height mm | 740 |
| Width mm | 1250 |
| Depth mm | 760 |
| Weight kg | 85 |

RELATED PRODUCTS



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner





Tandem Turbo SMART B | Up to 8 chairs

Designed with Cattani pioneered inverter technology, the Turbo SMART B units are installed in parallel to deliver twice the suction output. Adjusts performance according to suction demands to serve 8 chairs.

Details That Matter

- 3-year full parts and labour warranty
- Installed in parallel with twice the suction
- Inverter control for performance and energy efficiency
- SMART self-protection in case of functional anomalies
- Compatible with Vento frame
- Amalgam retention option available









Model with ISO 18 Hydrocyclone pictured.

| | Tandem Turbo SMART B |
|--|---|
| Item Code | 035105BX2 |
| Price Ex GST | \$25,915.00 |
| Price Inc GST | \$28,506.50 |
| SPECIFICATIONS | |
| Power | 1.8kW 7.5A 1PH 230V 2 x 10A power outlets required |
| Sound Output dB(A) | 76.7 |
| Max Air Flow at I/min | 3500 |
| Max Vacuum for Continuous Operation mBar | 210 |
| DIMENSIONS | |
| Height mm | 740 |
| Width mm | 1250 |
| Depth mm | 760 |
| Weight kg | 85 |



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner



Antifoaming Disinfectant Tablets



Tandem Turbo SMART B with ISO 18 Hydrocyclone | Up to 8 chairs

Integrated with ISO 18 Hydrocyclone amalgam retention, the Turbo SMART B units are installed in parallel to deliver twice the suction output. Adjusts performance according to suction demands to serve 8 chairs.

Details That Matter

- 3-year full parts and labour warranty
- ISO 18 Hydrocyclone amalgam retention
- Installed in parallel with twice the suction
- Capability to upgrade to an 8-chair capacity
- Inverter control for performance and energy efficiency
- SMART self-protection in case of functional anomalies
- Compatible with Vento frame











| Tandem Turbo SMART B with 2 x ISO 18 Hy | /d |
|---|----|
| AMALGAM INCLUDES RETENTION INSTALLATION KIT | |

| Tandem Turbo SMART | B with 2 x ISO 18 Hydrocyclone |
|--|---|
| Item Code | 035115BX2 |
| Price Ex GST | \$27,005.00 |
| Price Inc GST | \$29,705.50 |
| SPECIFICATIONS | |
| Power | 1.8kW 7.5A 1PH 230V 2 x 10A power outlets required |
| Sound Output dB(A) | 76.7 |
| Max Air Flow at I/min | 3500 |
| Max Vacuum for Continuous Operation mBar | 210 |
| DIMENSIONS | |
| Height mm | 740 |
| Width mm | 1250 |
| Depth mm | 760 |
| Weight kg | 85 |

RELATED PRODUCTS



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner





LARGE PLANT ROOM SOLUTIONS









CONTENTS



MULTI SMART: DESIGNED FOR THE AUSTRALASIAN REGION

12-20 CHAIRS

Leading innovation without compromising quality, our Australian technical team collaborated with Cattani Italy to co-engineer the new generation of the Multi SMART range, a more compact 12 – 20 chair solution specifically designed for the Australasian region.

The turn-key solution comes in the following configurations:

- T3 Model up to 12 chairs.
- T4 Model up to 16 chairs.
- T5 Model up to 20 chairs.

EASY MAINTENANCE, NO DISRUPTIONS

Installation of Multi SMART system is a simple process with a modular design that allows easy access for maintenance and HEPA filter upgrade onsite.

Each suction module of the system can be isolated to allow for easy servicing while still delivering uninterrupted suction, keeping the dental site running without disruption.

CONSISTENT AND RELIABLE SUCTION

Multi SMART systems are assembled in parallel, and thanks to inverter technology, provide steady and reliable suction with built-in redundancy.

MAXI SMART: THE WORLD'S FIRST INTEGRATED **SUCTION UNIT FOR LARGE CLINICS**

20-60 CHAIRS

The Maxi SMART system is the world's first integrated suction unit for large clinics, with the capability to provide a constant level of suction at each individual dental chair.

The system is designed to be installed as a modular system, in pairs, with the potential to serve 60 or more chairs. The system units are built with sequential activation intelligence, according to suction demand. Maxi SMART systems are supplied in kit form, with all interconnecting components necessary for parallel installation.

AT CATTANI, WE FOCUS ON INNOVATION.





Multi SMART T3 | Up to 12 chairs

Designed for the Australasian region, our Italian and Australian engineering and technical teams worked closely to develop a new solution that is more compact with no compromise on performance. The Multi SMART T3 is designed to serve up to 12 chairs.

Details That Matter

- 3-year full parts and labour warranty
- Compact design where space is a premium
- Simple installation and easy access for servicing
- Allows continuous operation even during maintenance
- Designed with built-in redundancy
- Modular design allowing for easy HEPA upgrade onsite
- Amalgam retention option available



Hydrocyclone model shown.







INDENT ITEM Multi SMART T3 Description Multi SMART T3 Multi SMART T3 with H1/ Filtration

| | | with 1114 Fitti ation |
|---------------|-------------|-----------------------|
| Item Code | 035105BX3 | 035105BHX3 |
| Price Ex GST | \$52,850.00 | \$57,050.00 |
| Price Inc GST | \$58,135.00 | \$62,755.00 |

SPECIFICATIONS

| Power | 3 x 1.8kW 7.5A | 3 x 1.8kW 7.5A |
|-------------------------------|------------------------|------------------------|
| | 1PH 230V | 1PH 230V |
| | 1x 10A (control panel) | 1x 10A (control panel) |
| | Total of 4 x 10A | Total of 4 x 10A |
| | power outlets required | power outlets required |
| Sound Output dB(A) | 78.5 | 78.5 |
| Max Air Flow at l/min | 5100 | 5100 |
| Max Vacuum for Continuous Ope | eration mBar 210 | 210 |
| DIMENSIONS | | |

| Max Vacuum for Continuous Operation mBar | 210 | 210 |
|--|------|------|
| DIMENSIONS | | |
| Height mm | 1280 | 1280 |
| Width mm* | 1000 | 1000 |
| Depth mm | 760 | 760 |
| Weight kg | 148 | 148 |

^{*}Dimensions are for frame only. Please allow extra space for installation purposes. Contact our technical team for further information.

RELATED PRODUCTS



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner



Multi SMART T3 with ISO 18 Hydrocyclone | Up to 12 chairs

Designed for the Australasian region, our Italian and Australian engineering and technical teams worked closely to develop more compact solution. Integrated with ISO 18 Hydrocyclone amalgam retention, the Multi SMART T3 is designed to serve up to 12 chairs.

Details That Matter

- 3-year full parts and labour warranty
- ISO 18 Hydrocyclone amalgam retention
- Compact design where space is a premium
- Simple installation and easy access for servicing
- Allows continuous operation even during maintenance
- Designed with built-in redundancy
- Modular design allowing for easy HEPA upgrade onsite











AMALGAM INCLUDES
RETENTION INSTALLATION

INDENT ITEMMulti SMART T3DescriptionMulti SMART T3
with ISO 18 Hydrocyclone
with ISO 18 Hydrocyclone
with H14 FiltrationItem Code035115BX3035115BHX3Price Ex GST\$56,550.00\$60,750.00Price Inc GST\$62,205.00\$66,825.00

| Price Ex GST | \$56,550.00 | \$60,750.00 | |
|-----------------------------|--|--|--|
| Price Inc GST | \$62,205.00 | \$66,825.00 | |
| SPECIFICATIONS | | | |
| Power | 3 x 1.8kW 7.5A 1PH 230V 1x 10A (control panel) Total of 4 x 10A power outlets required | 3 x 1.8kW 7.5A 1PH 230V 1x 10A (control panel) Total of 4 x 10A power outlets required | |
| Sound Output dB(A) | 78.5 | 78.5 | |
| Max Air Flow at l/min | 5100 | 5100 | |
| Max Vacuum for Continuous O | peration mBar 210 | 210 | |
| DIMENSIONS | | | |
| Height mm | 1280 | 1280 | |
| Width mm* | 1000 | 1000 | |
| Depth mm | 760 | 760 | |
| Weight kg | 148 | 148 | |

^{*}Dimensions are for frame only. Please allow extra space for installation purposes. Contact our technical team for further information.



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner



Antifoaming
Disinfectant Tablets

Multi SMART T4 | Up to 16 chairs

Designed for the Australasian region, our Italian and Australian engineering and technical teams worked closely to develop a new solution that is more compact with no compromise on performance. The Multi SMART T4 is designed to serve up to 16 chairs.

Details That Matter

- 3-year full parts and labour warranty
- Compact design where space is a premium
- Simple installation and easy access for servicing
- Allows continuous operation even during maintenance
- Designed with built-in redundancy
- Modular design allowing for easy HEPA upgrade onsite
- Amalgam retention option available



Hydrocyclone model shown.



Weight kg





INDENT ITEM Multi SMART T4 Description Multi SMART T4 Multi SMART T4 with H14 Filtration Item Code 035105BX4 035105BHX4 Price Ex GST \$68,795.00 \$74,395.00 Price Inc GST \$75,674.50 \$81,834.50

| Price Ex GST | \$68,795.00 | \$74,395.00 |
|-------------------------------|------------------|---|
| Price Inc GST | \$75,674.50 | \$81,834.50 |
| SPECIFICATIONS | | |
| | Total of 5 x 10A | 4 x 1.8kW 7.5A 1PH 230V 1 x 10A (control panel) Total of 5 x 10A power outlets required |
| Sound Output dB(A) | 79.7 | 79.7 |
| Max Air Flow at I/min | 6800 | 6800 |
| Max Vacuum for Continuous Ope | eration mBar 210 | 210 |
| DIMENSIONS | | |
| Height mm | 1280 | 1280 |
| Width mm* | 1345 | 1345 |
| Depth mm | 760 | 760 |

^{*}Dimensions are for frame only. Please allow extra space for installation purposes. Contact our technical team for further information.

RELATED PRODUCTS



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner



Antifoaming Disinfectant Tablets

184

Multi SMART T4 with ISO 18 Hydrocyclone | Up to 16 chairs

Designed for the Australasian region, our Italian and Australian engineering and technical teams worked closely to develop more compact solution. Integrated with ISO 18 Hydrocyclone amalgam retention, the Multi SMART T4 is designed to serve up to 16 chairs.

Details That Matter

- 3-year full parts and labour warranty
- ISO 18 Hydrocyclone amalgam retention
- Compact design where space is a premium
- Simple installation and easy access for servicing
- Allows continuous operation even during maintenance
- Designed with built-in redundancy
- Modular design allowing for easy HEPA upgrade onsite











R AMALGAM RETENTION IN

| INDENT ITEM | | Multi SMART T4 |
|----------------|--|---|
| Description | Multi SMART T4 with ISO 18 Hydrocyclone | Multi SMART T4 with ISO 18 Hydrocyclone with H14 Filtration |
| Item Code | 035115BX4 | 035115BHX4 |
| Price Ex GST | \$73,750.00 | \$79,350.00 |
| Price Inc GST | \$81,125.00 | \$87,285.00 |
| SPECIFICATIONS | | |
| | | |

| Price Inc GST | \$81,125.00 | \$87,285.00 |
|------------------------------|---|---|
| SPECIFICATIONS | | |
| Power | 4 x 1.8kW 7.5A 1PH 230V 1 x 10A (control panel) Total of 5 x 10A power outlets required | 4 x 1.8kW 7.5A 1PH 230V 1 x 10A (control panel) Total of 5 x 10A power outlets required |
| Sound Output dB(A) | 79.7 | 79.7 |
| Max Air Flow at I/min | 6800 | 6800 |
| Max Vacuum for Continuous Op | peration mBar 210 | 210 |
| DIMENSIONS | | |
| Height mm | 1280 | 1280 |
| Width mm* | 1345 | 1345 |
| Depth mm | 760 | 760 |
| Weight kg | 184 | 184 |
| | | |

^{*}Dimensions are for frame only. Please allow extra space for installation purposes. Contact our technical team for further information.

RELATED PRODUCTS



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner



Multi SMART T5 | Up to 20 chairs

Designed for the Australasian region, our Italian and Australian engineering and technical teams worked closely to develop a new solution that is more compact with no compromise on performance. The Multi SMART T5 is designed to serve up to 20 chairs.

Details That Matter

- 3-year full parts and labour warranty
- Compact design where space is a premium
- Simple installation and easy access for servicing
- Allows continuous operation even during maintenance
- Designed with built-in redundancy
- Modular design allowing for easy HEPA upgrade onsite
- Amalgam retention option available



Hydrocyclone model shown.







| INDENT ITEM | | Multi SMART T5 |
|---------------|----------------|---------------------------------------|
| Description | Multi SMART T5 | Multi SMART T5 with H14 Filtration |
| Item Code | 035105BX5 | 035105BHX5 |
| Price Ex GST | \$81,950.00 | \$88,950.00 |
| Price Inc GST | \$90,145.00 | \$97,845.00 |

| Item Code | 035105BX5 | 035105BHX5 |
|------------------------------|---|---|
| Price Ex GST | \$81,950.00 | \$88,950.00 |
| Price Inc GST | \$90,145.00 | \$97,845.00 |
| SPECIFICATIONS | | |
| Power | 5 x 1.8kW 7.5A 1PH 230V 1 x 10A (control panel) Total of 6 x 10A | 1PH 230V 1 x 10A (control panel) Total of 6 x 10A |
| | power outlets required | power outlets required |
| Sound Output dB(A) | 80.7 | 80.7 |
| Max Air Flow at I/min | 8500 | 8500 |
| Max Vacuum for Continuous Op | peration mBar 210 | 210 |
| DIMENSIONS | | |
| Height mm | 1280 | 1280 |
| Width mm* | 1690 | 1690 |
| Depth mm | 760 | 760 |
| Weight kg | 220 | 220 |

^{*}Dimensions are for frame only. Please allow extra space for installation purposes. Contact our technical team for further information.

RELATED PRODUCTS



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner



Multi SMART T5 with ISO 18 Hydrocyclone | Up to 20 chairs

Designed for the Australasian region, our Italian and Australian engineering and technical teams worked closely to develop more compact solution. Integrated with ISO 18 Hydrocyclone amalgam retention, the Multi SMART T5 is designed to serve up to 20 chairs.

Details That Matter

- 3-year full parts and labour warranty
- ISO 18 Hydrocyclone amalgam retention
- Compact design where space is a premium
- Simple installation and easy access for servicing
- Allows continuous operation even during maintenance
- Designed with built-in redundancy
- Modular design allowing for easy HEPA upgrade onsite











| | | $\overline{\mathbf{v}}$ |
|-------------------|----------------------|-----------------------------|
| IVERTER ONTROL | AMALGAM RETENTION | INCLUDE INSTALLAT KIT |

| INDENT ITEM | | | Multi SMART T5 |
|--------------------------|--|---------------------------|---|
| Description | Multi SMA with ISO 18 Hydroc | | Multi SMART T5 with ISO 18 Hydrocyclone with H14 Filtration |
| Item Code | 0351 | 15BX5 | 035115BHX5 |
| Price Ex GST | \$88,2 | 250.00 | \$95,250.00 |
| Price Inc GST | \$97, | 075.00 | \$104,775.00 |
| SPECIFICATIONS | | | |
| Power | 5 x 1.8kV 1Ph 1 x 10A (control Total of 6 power outlets re | 1 230V panel) x 10A | 5 x 1.8kW 7.5A 1PH 230V 1 x 10A (control panel) Total of 6 x 10A power outlets required |
| Sound Output dB(A) | | 80.7 | 80.7 |
| Max Air Flow at I/min | | 8500 | 8500 |
| Max Vacuum for Continuou | s Operation mBar | 210 | 210 |
| DIMENSIONS | | | |
| Height mm | | 1280 | 1280 |
| Width mm* | | 1690 | 1690 |
| Depth mm | | 760 | 760 |
| Weight kg | | 220 | 220 |
| | | | |

^{*}Dimensions are for frame only. Please allow extra space for installation purposes. Contact our technical team for further information.

RELATED PRODUCTS



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner



Maxi SMART with ISO 60 Hydrocyclone* | 15-60 chairs

World's first integrated suction system for large clinics, designed to be installed in parallel to serve up to 60 chairs, with the capacity to serve 15 chairs with a single unit. Integrated with Hydrocyclone amalgam retention, the Maxi SMART is built with sequential activation intelligence, according to suction demand.

Details That Matter

- 3-year full parts and labour warranty
- Supplied in kit form, ready for parallel installation
- ISO 60 Hydrocyclone amalgam retention
- Sequential activation according to suction demand
- Noise reduction option available
- * Maxi SMART is designed as a modular system to be connected in parallel, not to operate as a single unit. Capacity per unit: 12 chairs if the unit is installed on the same level; 15 chairs if the unit is on the level below











RETENTION INSTALLATION

| INDENT ITEM | | Maxi SMART |
|---------------------------|--|---|
| Description | Maxi SMART with ISO 60 Hydrocyclone | Maxi SMART with ISO 60 Hydrocyclone with H14 Filtration |
| Item Code | 035210 | 035211 |
| Price Ex GST | \$46,500.00 | \$50,000.00 |
| Price Inc GST | \$51,150.00 | \$55,000.00 |
| SPECIFICATIONS | | |
| Power | 11.8kW 25A 3PH 400V | 11.8kW 25A 3PH 400V |
| Sound Output dB(A) | 77 | 77 |
| Max Air Flow at I/min | 5000 | 5000 |
| Max Vacuum for Continuous | Operation mBar 240 | 240 |
| DIMENSIONS | | |
| Height mm | 1490 | 1490 |
| Width mm | 708 | 708 |
| Depth mm | 1037 | 1037 |
| Weight kg | 215 | 215 |

RELATED PRODUCTS



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner



Antifoaming Disinfectant Tablets



Maxi SMART with ISO 60 Hydrocyclone and Acoustic Cover* | 15-60 chairs

World's first integrated suction system for large clinics, designed to be installed in parallel to serve up to 60 chairs, with the capacity to serve 15 chairs with a single unit. Integrated with Hydrocyclone amalgam retention, with acoustic cover.

Details That Matter

- 3-year full parts and labour warranty
- Acoustic cover for low noise
- Supplied in kit form, ready for parallel installation
- ISO 60 Hydrocyclone amalgam retention
- Sequential activation according to suction demand
- * Maxi SMART is designed as a modular system to be connected in parallel, not to operate as a single unit. Capacity per unit: 12 chairs if the unit is installed on the same level; 15 chairs if the unit is on the level below











AMALGAM INCLUDES
RETENTION INSTALLATION

| INDENT ITEM | | Maxi SMART |
|----------------|--|---|
| Description | Maxi SMART with ISO 60 Hydrocyclone and Acoustic Cover | Maxi SMART with ISO 60 Hydrocyclone and Acoustic Cover with H14 Filtration |
| Item Code | 035215 | 035216 |
| Price Ex GST | \$52,800.00 | \$57,200.00 |
| Price Inc GST | \$58,080.00 | \$62,920.00 |
| CDECIFICATIONS | | |

| Item Code | 035215 | 035216 |
|-------------------------------------|------------------------|------------------------|
| Price Ex GST | \$52,800.00 | \$57,200.00 |
| Price Inc GST | \$58,080.00 | \$62,920.00 |
| SPECIFICATIONS | | |
| Power | 11.8kW 25A 3PH 400V | 11.8kW 25A 3PH 400V |
| Sound Output dB(A) | 68 | 68 |
| Max Air Flow at I/min | 5000 | 5000 |
| Max Vacuum for Continuous Operation | mBar 240 | 240 |
| DIMENSIONS | | |
| Height mm | 1490 | 1490 |
| Width mm | 708 | 708 |
| Depth mm | 1037 | 1037 |
| Weight kg | 270 | 270 |

RELATED PRODUCTS



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner





COMPACT PLANT ROOM SOLUTIONS











Blok-Jet Silent 1 & 2: the self-contained plant solutions | 1-2 and 3-4 chairs

The Blok-Jet Silent solution is to stack the units inside their own cabinet. Serves up to four chairs and is ultra-quiet, it is an excellent option when noise mitigation is a priority. The cabinet also has a very small footprint and stands on caster wheels, for ease of positioning and service.

Details That Matter

- Serves up to four chairs
- Compact the size of a fridge
- Ultra-quiet
- Mobile it stands on lockable wheels
- Cabinet doors also lockable
- External display panel shows compressor and suction status



Blok-Jet Silent 2 pictured.

| INDENT ITEM | Blok-Jet Silent 1 | Blok-Jet Silent 2 |
|--------------------|---|---|
| | Blok-Jet Silent 1 AC200 Compressor & Micro SMART with Hydrocyclone | Blok-Jet Silent 2 AC300 Compressor & Turbo SMART B with Hydrocyclone |
| Item Code | 073500 | 073525 |
| Price Ex GST | \$25,150.00 | \$35,450.00 |
| Price Inc GST | \$27,665.00 | \$38,995.00 |
| SPECIFICATIONS | | |
| Compressor | AC200 | AC300 |
| Suction | Micro SMART | Turbo SMART B |
| Sound Output dB(A) | 57.5 | 55 |
| DIMENSIONS | | |
| Height mm | 1583 | 1935 |
| Width mm | 727 | 760 |
| Depth mm | 577 | 650 |
| Weight kg | 220 | 280 |

RELATED PRODUCTS



PULI-JET Gentle 2.0 Non-foaming Disinfectant



Pulse Cleaner



Antifoaming
Disinfectant Tablets



Vento solutions: the ultimate space saver for up to eight chairs

Designed and developed by Cattani Australia, the Vento approach is to stack the suction unit and the compressor on an engineered frame, halving the floor space. This is the perfect plant configuration for practices where space is tight, and a dedicated plant room is a luxury.

Vento can be configured to service up to eight chairs. Units with noise reducing options are also available.

Vento solutions can incorporate:

- Micro SMART
- Turbo SMART
- Noise-reducing SMART Cube suction units
- Our entire compressor range, including CAD/CAM
- Acoustic compressor hoods (Q Series)
- Amalgam retention



FRAME 1 Example with AC200 and Turbo SMART with Hydrocyclone



FRAME 2 Example with AC600 and Tandem Turbo SMART with Hydrocyclone

How to configure your Vento solution

- 1. Select your Compressor (pages 10-21)
- 2. Select your Suction (pages 47-58)
- 3. Select your Vento frame based on your compressor size (except when choosing Turbo SMART Cube suction system)*
- 4. Combine the pricing for your compressor, suction, and Vento frame to determine the overall price of the Vento solution.

| | FRAME 1 (Turbo SMART) | FRAME 1B (Turbo SMART Cube) | FRAME 2 |
|---------------|--------------------------------|--------------------------------|--------------------------------------|
| Order number | JVT0000 | JVTTSC0 | JCSTTS |
| Compatibility | AC100, AC200 & AC300 Series | AC100, AC200 & AC300 Series | Compatible with AC400 & AC600 Series |
| Price Inc GST | \$2,150.50 | \$2,150.50 | \$2,629.00 |
| DIMENSIONS | | | |
| Height mm | 820 | 820 | 950 |
| Width mm | 695 | 695 | 1280 |
| Depth mm | 490 | 610 | 600 |

^{*}Frames are only sold as part of a complete Vento configuration. For the individual sale of the frame component, contact your local Business Development Manager.



CLASSIC SUCTION

DRY SUCTION: PROVEN CATTANI TECHNOLOGY

BUILT TO LAST

Cattani dry suction motors deliver high volume airflow with high pressure, even with a large suction tip. Our separators, control panels, and vacuum relief valves are all you need if dry suction is your preferred option.

Cattani dry suction motors are made from quality materials and built to last. The machines are incredibly easy to operate, and the mechanics and circuitry are easy to maintain:

- 1-7 chairs
- Single or three-phase, depending on the unit
- Noise reduction options available
- Units designed to be installed close to the dental unit

ASPI-JET: MOBILE **OR BACKUP** SUCTION SYSTEM

PLUG AND PLAY

If you need a simple, safe, and mobile chairside aspirator for a single chair, Aspi-Jet 6 is for you - just plug it in and turn it on. Aspi-Jet 6 is designed for continuous use and reliable high flow, medium vacuum, and effective air/fluid separation.

MOBILE RELIABILITY

Aspi-Jet 6 is on wheels for easy transfer from surgery to surgery. It is a handy back-up system and a good option where it is difficult to get plumbing to the dental unit.

Powered by a robust Uni-Jet 75 motor, the Aspi-Jet has a maximum negative pressure of 130 mBar with maximum air flow rate 650 l/min.

The Aspi-Jet range includes plumbed versions in the Aspi-Jet 7. 8 and 9 models that include autodrain options, all with foam-lined cabinet for quietness.



MOBILE SUCTION



Uni-Jet 6 with Bacterial Filter: Filter removes solid and biological particles down to 0.01 micron.

| | | Aspi-Jet 6 |
|-------------------------------------|----------------------------------|-------------------------------|
| Description I | Unit without Bacterial Filter | Unit with Bacterial Filter |
| Item Code | 010010 | 010010B |
| Price Ex GST | \$5,320.00 | \$6,090.00 |
| Price Inc GST | \$5,852.00 | \$6,699.00 |
| SPECIFICATIONS | | |
| Sound Output dB(A) | 60 | 60 |
| Max Air Flow at I/min | 650 | 650 |
| Max Vacuum for Continuous Operation | mBar 130 | 130 |
| Tank Size (litres) | 4 | 4 |
| DIMENSIONS | | |
| Height mm | 750 | 750 |
| Width mm | 325 | 325 |
| Depth mm | 420 | 420 |

Manual drain 4 litre canister capacity.









| INDENT ITEMS | Aspi-Jet 7 | Aspi-Jet 8 | Aspi-Jet 9 |
|--|-------------------------------|---|--|
| Item Code | 010021 | 010030 | 010041 |
| Price Ex GST | \$6,500.00 | \$8,040.00 | \$9,220.00 |
| Price Inc GST | \$7,150.00 | \$8,844.00 | \$10,142.00 |
| SPECIFICATIONS | | | |
| Sound Output dB(A) | 60 | 60 | 60 |
| Max Air Flow at I/min | 650 | 650 | 650 |
| Max Vacuum for Continuous Operation mBar | 130 | 130 | 130 |
| DIMENSIONS | | | |
| Height mm | 750 | 750 | 750 |
| Width mm | 325 | 325 | 325 |
| Depth mm | 420 | 420 | 520 |
| | Automatic drain pump | Automatic drain pump & cup filler | Automatic drain pump, cup filler & spittoon |
| | Requires plumbing to waste | Requires plumbing to waste | Requires plumbing to waste |
| | | Requires water supply | Requires water & air supply |











Uni-Jet 75 Single Phase | 1 chair

| | Uni-Jet 75 |
|---|--------------------|
| Description | Single Phase |
| Item Code | 020322 |
| Price Ex GST | \$1,125.00 |
| Price Inc GST | \$1,237.50 |
| SPECIFICATIONS | |
| Power | 0.42kW 3.1A 1PH |
| Sound Output dB(A) | 62 |
| Max Air Flow at I/min | 1250 |
| Max Vacuum for Continuous Operation mBar | 130 |
| DIMENSIONS | |
| Height mm | 275 |
| Width mm | 232 |
| Depth mm | 246 |
| | Accessories |
| C-020632 Control Panel – H400mm x W300mm x D170mm | \$2,788.50 |
| C-160562 Silencer – L400mm x Dia. 80mm (30mm ports) | \$225.50 |

Uni-Jet 75 2V Single Phase | 1 chair









| | Uni-Jet 75 2V |
|---|-------------------|
| Description | Single Phase |
| Item Code | 020370 |
| Price Ex GST | \$2,085.00 |
| Price Inc GST | \$2,293.50 |
| SPECIFICATIONS | |
| Power | 0.7kW 5.2A 1PH |
| Sound Output dB(A) | 64 |
| Max Air Flow at I/min | 1330 |
| Max Vacuum for Continuous Operation mBar | 270 |
| DIMENSIONS | |
| Height mm | 275 |
| Width mm | 246 |
| Depth mm | 491 |
| | Accessories |
| C-020632 Control Panel - H400mm x W300mm x D170mm | \$2,788.50 |
| C-160562 Silencer – L400mm x Dia. 80mm (30mm ports) | \$225.50 |











Tecno-Jet Single Phase | 2-3 chairs

| | Tecno-Jet |
|--|--------------------|
| Description | Single Phase |
| Item Code | 046759 |
| Price Ex GST | \$2,025.00 |
| Price Inc GST | \$2,227.50 |
| SPECIFICATIONS | |
| Power | 0.75kW 5.5A 1PH |
| Sound Output dB(A) | 64 |
| Max Air Flow at I/min | 2000 |
| Max Vacuum for Continuous Operation mBar | 140 |
| DIMENSIONS | |
| Height mm | 320 |
| Width mm | 310 |
| Depth mm | 310 |
| | Accessories |
| C-020631 Control Panel – H400mm x W300mm x D170mm | \$2,788.50 |
| C-160564 Silencer – L400mm x Dia. 160mm (50mm ports) | \$375.10 |
| C-A31080 Vacuum Relief Valve | \$301.40 |

Tecno-Jet 2V Single Phase | 2-3 chairs









| INDENT ITEM | Tecno-Jet 2V |
|--|-------------------|
| Description | Single Phase |
| Item Code | 020921 |
| Price Ex GST | \$4,270.00 |
| Price Inc GST | \$4,697.00 |
| SPECIFICATIONS | |
| Power | 1.1kW 7.5A 1PH |
| Sound Output dB(A) | 65 |
| Max Air Flow at I/min | 2170 |
| Max Vacuum for Continuous Operation mBar | 200 |
| DIMENSIONS | |
| Height mm | 320 |
| Width mm | 310 |
| Depth mm | 550 |
| | Accessories |
| C-020631 Control Panel – H400mm x W300mm x D170mm | \$2,788.50 |
| C-160564 Silencer – L400mm x Dia. 160mm (50mm ports) | \$375.10 |



\$301.40

C-A31080 Vacuum Relief Valve











Flux-Jet 1.1kW Single Phase | 4 chairs

| | Flux-Jet 1.1kW |
|--|-------------------|
| Description | Single Phase |
| Item Code | 048137 |
| Price Ex GST | \$2,475.00 |
| Price Inc GST | \$2,722.50 |
| SPECIFICATIONS | |
| Power | 1.1kW 7.6A 1PH |
| Sound Output dB(A) | 68.5 |
| Max Air Flow at I/min | 3300 |
| Max Vacuum for Continuous Operation mBar | 150 |
| DIMENSIONS | |
| Height mm | 350 |
| Width mm | 340 |
| Depth mm | 410 |
| | Accessories |
| C-020630 Control Panel – H400mm x W300mm x D170mm | \$2,788.50 |
| C-160564 Silencer – L400mm x Dia. 160mm (50mm ports) | \$375.10 |
| C-400870 Vacuum Relief Valve | \$290.40 |

Flux-Jet 2V 3 Phase | 4 chairs











| | Flux-Jet 2V |
|--|-------------------|
| Description | 3 Phase |
| Item Code | 020715 |
| Price Ex GST | \$6,795.00 |
| Price Inc GST | \$7,474.50 |
| SPECIFICATIONS | |
| Power | 2.2kW 5.2A 3PH |
| Sound Output dB(A) | 72 |
| Max Air Flow at I/min | 3300 |
| Max Vacuum for Continuous Operation mBar | 230 |
| DIMENSIONS | |
| Height mm | 350 |
| Width mm | 340 |
| Depth mm | 590 |
| | Accessories |
| C-020630 Control Panel – H400mm x W300mm x D170mm | \$2,788.50 |
| C-160564 Silencer – L400mm x Dia. 160mm (50mm ports) | \$375.10 |
| C-160640 Vacuum Relief Valve | \$674.30 |













Medio-Jet Blower 3kW 3 Phase | 7 chairs

| | Medio-Jet Blower 3kW |
|--|----------------------|
| Description | 3 Phase |
| Item Code | 061503 |
| Price Ex GST | \$3,885.00 |
| Price Inc GST | \$4,273.50 |
| SPECIFICATIONS | |
| Power | 3kW 6.8A 3PH |
| Sound Output dB(A) | 76 |
| Max Air Flow at I/min | 5000 |
| Max Vacuum for Continuous Operation mBar | 230 |
| DIMENSIONS | |
| Height mm | 420 |
| Width mm | 400 |
| Depth mm | 335 |
| | Accessories |
| C-021050 Control Panel – H400mm x W300mm x D170m | nm \$8,134.50 |
| C-S2S000 Silencer – L265mm x Dia. 90mm (50mm ports | \$290.95 |
| C-A1549V Vacuum Relief Valve | \$973.50 |

Medio-Jet 2V 3 Phase | 7 chairs











| INDENT ITEM | Medio-Jet 2V |
|--|---------------|
| Description | 3 Phase |
| Item Code | 020930 |
| Price Ex GST | \$7,305.00 |
| Price Inc GST | \$8,035.50 |
| SPECIFICATIONS | |
| Power | 4kW 9A 3PH |
| Sound Output dB(A) | 77 |
| Max Air Flow at I/min | 4830 |
| Max Vacuum for Continuous Operation mBar | 245 |
| DIMENSIONS | |
| Height mm | 420 |
| Width mm | 400 |
| Depth mm | 705 |
| | Accessories |

| | Accessories |
|---|-------------|
| C-021050 Control Panel – H400mm x W300mm x D170mm | \$8,134.50 |
| C-S2S000 Silencer – L265mm x Dia. 90mm (50mm ports) | \$290.95 |
| C-A1549V Vacuum Relief Valve | \$973.50 |











Uni-Jet 75 in Cover

| INDENT ITEM | Uni-Jet 75 |
|---|--------------------|
| Description | In Cover |
| Item Code | 020274 |
| Price Ex GST | \$2,870.00 |
| Price Inc GST | \$3,157.00 |
| SPECIFICATIONS | |
| Power | 0.42kW 3.1A 1PH |
| Sound Output dB(A) | 58 |
| Max Vacuum for Continuous Operation mBar | 130 |
| DIMENSIONS | |
| Height mm | 330 |
| Width mm | 320 |
| Depth mm | 280 |
| | Accessories |
| C-020632 Control Panel – H400mm x W300mm x D170mm | \$2,788.50 |
| C-160562 Silencer – L400mm x Dia. 80mm (30mm ports) | \$225.50 |







Uni-Jet 75 in Cover with Control

CONTENTS

| INDENT ITEM | Uni-Jet 75 |
|--|-----------------------|
| Description | In Cover with Control |
| Item Code | 020276 |
| Price Ex GST | \$3,000.00 |
| Price Inc GST | \$3,300.00 |
| SPECIFICATIONS | |
| Power | 0.42kW 3.1A 1PH |
| Sound Output dB(A) | 58 |
| Max Vacuum for Continuous Operation mBar | 130 |
| DIMENSIONS | |
| Height mm | 330 |
| Width mm | 320 |
| Depth mm | 280 |
| | Accessories |
| C-160562 Silencer – L400mm x Dia. 80mm (30mm ports | \$225.50 |





Continuous Suction Separator

| | | Continuou | s Suction Separator |
|---------------|------------------------------------|------------------------------------|----------------------------------|
| Description | Multi Surgery Unit with Bracket | Multi Surgery Unit without Bracket | Single Surgery Unit with Bracket |
| Item Code | C0016A0 | C0016AB | C0016B0 |
| Price Ex GST | \$2,070.00 | \$1,935.00 | \$1,600.00 |
| Price Inc GST | \$2,277.00 | \$2,128.50 | \$1,760.00 |
| SPECIFICATION | NS | | |
| Power | 24V | 24V | 24V |
| DIMENSIONS | | | |
| Height mm | 350 | 350 | 350 |
| Width mm | 250 | 250 | 250 |
| Depth mm | 100 | 100 | 100 |

Refer page 99 for classic suction control panels and vacuum relief valves.





Continuous Suction Separator in Cover

| INDENT ITEM | Continuous Suction | on Separator in Cover |
|----------------|---------------------|-----------------------|
| Description | Single Surgery Unit | Multi Surgery Unit |
| Item Code | 020998 | 020996 |
| Price Ex GST | \$2,535.00 | \$3,000.00 |
| Price Inc GST | \$2,788.50 | \$3,300.00 |
| SPECIFICATIONS | | |
| Power | 24V | 24V |
| DIMENSIONS | | |
| Height mm | 350 | 350 |
| Width mm | 250 | 250 |
| Depth mm | 100 | 100 |

Refer page 99 for classic suction control panels and vacuum relief valves.



SUCTION ACCESSORIES

Surgical Suction Tip #9

Dental aspiration tip with a smaller diameter for precise evacuation of fluids from the oral cavity. The design makes it easy to use and ensures effective aspiration during dental procedures. Each pack contains 3 suction tips.

- Autoclavable (Type B) at 134°Celsius, 2.1 bar for 10 minutes
- Reusable for 100 sterilisation cycles
- Sterilise prior to use

| Order Number | Size | Pack Qty | Price Inc GST |
|--------------|--------------------------|----------|---------------|
| CT90000 | Suits 11mm hose terminal | 1 | \$41.09 |
| CT9X000 | Suits 11mm hose terminal | 34 | \$1,081.85 |
| CT9X680 | Suits 11mm hose terminal | 68 | \$1,562.00 |

Surgical Suction Tip #21

Dental aspiration tip with a smaller diameter for precise evacuation of fluids from the oral cavity. The design makes it easy to use and ensures effective aspiration during dental procedures. Each pack contains 3 suction tips.

- Curved design
- Autoclavable (Type B) at 134°Celsius, 2.1 bar for 10 minutes
- Reusable for 100 sterilisation cycles
- Sterilise prior to use

| Order Number | Size | Pack Qty | Price Inc GST |
|--------------|--------------------------|----------|---------------|
| CT21000 | Suits 11mm hose terminal | 1 | \$41.09 |
| CT21X00 | Suits 11mm hose terminal | 34 | \$1,081.85 |
| CT21X68 | Suits 11mm hose terminal | 68 | \$1,562.00 |

High Volume Evacuator (HVE) Tip #11

Recommended for aspirators with high airflow and low head. The design of the nebulisation and interceptor makes it easy to use and ensures effective aspiration during dental procedures where evacuation is required. Each pack contains 3 suction tips.

- Autoclavable (Type B) at 134° Celsius, 2.1 bar for 10 minutes
- Reusable for 100 sterilisation cycles
- Sterilise prior to use

| Order Number | Size | Pack Qty | Price Inc GST |
|--------------|--------------------------|----------|---------------|
| CT11000 | Suits 16mm hose terminal | 1 | \$41.09 |
| CT11X00 | Suits 16mm hose terminal | 34 | \$1,081.85 |
| CT11X68 | Suits 16mm hose terminal | 68 | \$1,562.00 |









High Volume Evacuator (HVE) Tip #17

This nebulisation and spray interceptor is ideal for aspirators with moderate airflow. The low noise design makes it easy to use and ensures effective spray interception during dental procedures where high volume evacuation is required. Each pack contains 3 suction tips.

- Quiet
- Angled design
- Autoclavable (Type B) at 134°Celsius, 2.1 bar for 10 minutes
- Reusable for 100 sterilisation cycles
- Sterilise prior to use

| Order Number | Size | Pack Qty | Price Inc GST |
|--------------|--------------------------|----------|---------------|
| CT17000 | Suits11mm hose terminal | 1 | \$41.09 |
| CT17X00 | Suits11mm hose terminal | 34 | \$1,081.85 |
| CT17X68 | Suits 11mm hose terminal | 68 | \$1,562.00 |

High Volume Evacuator (HVE) Tip #20

The HVE #20 tip is recommended for aspirators with high airflow and low head. The curved design is easy to use and ensures effective aspiration and spray interception during dental procedures where high volume evacuation is required. Each pack contains 3 suction tips.

- · Curved design
- Autoclavable (Type B) at 134° Celsius, 2.1 bar for 10 minutes
- Reusable for 100 sterilisation cycles
- Sterilise prior to use

| Order Number | Size | Pack Qty | Price Inc GST |
|--------------|--------------------------|----------|---------------|
| CT20000 | Suits 16mm hose terminal | 1 | \$41.09 |
| CT20X00 | Suits 16mm hose terminal | 34 | \$1,081.85 |
| CT20X68 | Suits 16mm hose terminal | 68 | \$1,562.00 |

High Volume Evacuator (HVE) Tip #22

This nebulisation and spray interceptor is ideal for aspirators with moderate airflow. The curved it is easy to use and ensures effective aspiration and spray interception during dental procedures high volume evacuation is required. Each pack contains 3 suction tips.

- Reduces sound vibration
- Curved design
- Autoclavable (Type B) at 134°Celsius, 2.1 bar for 10 minutes
- Reusable for 100 sterilisation cycles
- Sterilise prior to use

| Order Number | Size | Pack Qty | Price Inc GST |
|--------------|--------------------------|----------|---------------|
| CT22000 | Suits 16mm hose terminal | 1 | \$41.09 |
| CT22X00 | Suits 16mm hose terminal | 34 | \$1,081.85 |
| CT22X68 | Suits 16mm hose terminal | 68 | \$1,562.00 |









Cleaning Brush for Surgical Suction Tips -Small

Designed for cleaning and scrubbing of dental suction tips. Effectively reaches all parts of the to clean prior to autoclaving. Suitable for small tips (11mm).

| Order Number | Size | Pack Qty | Price Inc GST |
|--------------|-------------------------|----------|---------------|
| C-180000 | Suits 11mm suction tips | 1 | \$12.71 |
| C-180000100 | Suits 11mm suction tips | 100 | \$748.00 |



Cleaning Brush For Surgical Suction and HVE Tips - Large

Designed for cleaning and scrubbing of dental suction tips and high volume evacuator tips. Effectively all parts of the internal surface to clean prior to autoclaving. Suitable for large tips

| Order Number | Size | Pack Qty | Price Inc GST |
|--------------|-------------------------|----------|---------------|
| C-190000 | Suits 16mm suction tips | 1 | \$12.71 |
| C-190000100 | Suits 16mm suction tips | 100 | \$748.00 |



Funnel Spittoon

Flexible in its design the Cattani funnel spittoon is designed to fit into both the 11mm and the 16mm hose terminals.

- Autoclavable (Type B) at 134° Celsius, 2.1 bar for 10 minutes
- Reusable for 50 sterilisation cycle

| Order Number | Size | Colour | Pack Qty | Price Inc GST |
|--------------|------------------------------------|--------|----------|---------------|
| C-040502 | Suits 11mm and 16mm hose terminals | White | 1 | \$31.90 |
| C-04050250 | Suits 11mm and 16mm hose terminals | White | 50 | \$898.70 |



SUCTION ACCESSORIES

Saliva Ejector Adaptor

Designed to suit most saliva ejector tips to fit the 11mm or 16mm hose terminal.

- Autoclavable (Type B) at 134° Celsius, 2.1 bar for 10 minutes
- Reusable for 50 sterilisation cycles

| Order Number | Size | Colour | Pack Qty | Price Inc GST |
|--------------|------------------------------------|--------|----------|---------------|
| C-150000 | Suits 11mm and 16mm hose terminals | Grey | 1 | \$25.30 |
| C-15000050 | Suits 11mm and 16mm hose terminals | Grey | 50 | \$674.30 |
| C-150000200 | Suits 11mm and 16mm hose terminals | Grey | 200 | \$2,392.50 |



Tip Reducer

The tip reducer reduces the internal diameter from 16mm to 11mm hose terminals to suit insertion of 11mm suction and high volume evacuator tips. Suitable for use with the Cattani Surgical Suction Tip #9 and High Volume Evacuator (HVE) Tip #17.

• Autoclavable (Type B) at 135°Celsius, 2.1 bar for 10 minutes

| Order Number | Size | Colour | Pack Qty | Price Inc GST |
|--------------|----------------------------------|--------|----------|---------------|
| C-160000 | Reduces diameter from 16 to 11mm | Grey | 1 | \$7.43 |
| C-160000100 | Reduces diameter from 16 to 11mm | Grey | 100 | \$180.40 |
| C-160000200 | Reduces diameter from 16 to 11mm | Grey | 200 | \$340.45 |





CONTENTS

Hose Terminal - Small (11mm)

Designed to work with 11mm suction tips and the 11mm high volume evacuation tips.

- Autoclavable (Type B) at 134°Celsius, 2.1 bar for 10 minutes
- Reusable for 50 sterilisation cycles

| Order Number | Size | Colour | Pack Qty | Price Inc GST |
|--------------|------|--------|----------|---------------|
| C-11015G | 11mm | Grey | 1 | \$70.57 |
| C-11015G10 | 11mm | Grey | 10 | \$495.55 |
| C-11015W | 11mm | White | 1 | \$70.57 |
| C-11015W10 | 11mm | White | 10 | \$495.55 |



Hose Terminal - Large (16mm)

Designed to work with 16mm suction tips and the 16mm high volume evacuation tips.

- Autoclavable (Type B) at 134° Celsius, 2.1 bar for 10 minutes
- Reusable for 50 sterilisation cycles

| Order Number | Size | Colour | Pack Qty | Price Inc GST |
|--------------|------|--------|----------|---------------|
| C-11014G | 16mm | Grey | 1 | \$70.57 |
| C-11014G10 | 16mm | Grey | 10 | \$495.55 |
| C-110140 | 16mm | Black | 1 | \$70.57 |
| C-11014010 | 16mm | Black | 10 | \$495.55 |
| C-11014W | 16mm | White | 1 | \$70.57 |
| C-11014W10 | 16mm | White | 10 | \$495.55 |





Hose End Connector - Small (11mm)

Replacment hose end connector for use with the 11mm Hose Terminal. Also used to connect to manual and pneumatic tip supports.

- Autoclavable (Type B) at 134°Celsius, 2.1 bar for 10 minutes
- Reusable for 50 sterilisation cycles

| Order Number | Size | Colour | Pack Qty | Price Inc GST |
|--------------|------|--------|----------|---------------|
| C-203470 | 11mm | Grey | 1 | \$25.63 |
| C-203448 | 11mm | Black | 1 | \$25.63 |
| C-203438 | 11mm | White | 1 | \$25.63 |



Hose End Connector – Large (16mm)

Replacment hose end connector for use with the 16mm Hose Terminal. Also used to connect to manual and pneumatic tip supports.

- Autoclavable (Type B) at 134° Celsius, 2.1 bar for 10 minutes
- Reusable for 50 sterilisation cycles

| Order Number | Size | Colour | Pack Qty | Price Inc GST |
|--------------|------|--------|----------|---------------|
| C-203471 | 16mm | Grey | 1 | \$25.63 |
| C-203449 | 16mm | Black | 1 | \$25.63 |
| C-203439 | 16mm | White | 1 | \$25.63 |



Slide Closer

Replacment slide closer for use with the Hose Terminal.

| Order Number | Size | Colour | Pack Qty | Price Inc GST |
|--------------|------|--------|----------|---------------|
| C-11015F | 11mm | Grey | 1 | \$12.71 |
| C-11014F | 16mm | Grev | 1 | \$12.71 |



Hose Terminal Complete Kit - Small (11mm)

The Cattani Hose Terminal Complete Kit comes ready to connect, simply select your colour and suction hose type. Each kit includes:

- A Hose Terminal
- A Suction Hose (1.5 metres)
- A Hose End Connector

| Order Number | Size | Hose Type | Colour | Pack Qty | Price Inc GST |
|--------------|------|-----------|--------|----------|---------------|
| C-11018G | 11mm | Spiral | Grey | 1 | \$188.10 |
| C-11018S00G | 11mm | Silicone | Grey | 1 | \$188.10 |

Also available in white via special order.





Hose Terminal Complete Kit - Large (16mm)

The Cattani Hose Terminal Complete Kit comes ready to connect, simply select your colour and suction hose type. Each kit includes:

- A Hose Terminal
- A Suction Hose (1.5 metres)
- A Hose End Connector"

| Order Number | Size | Hose Type | Colour | Pack Qty | Price Inc GST |
|--------------|------|-----------|--------|----------|---------------|
| C-11017G | 16mm | Spiral | Grey | 1 | \$188.10 |
| C-11017S00G | 16mm | Silicone | Grey | 1 | \$188.10 |

Also available in white via special order.



Manual Tip Support with Filter

Three hose terminal hanger with manual closure of terminals. Includes manifold with filter, 3 spiral tubes with terminals (1 x 16mm, 2 x 11mm), accessories and additional flat sprial tube. Dimensions without hoses or terminals: Height 118mm x Width 135mm x Depth 105mm.

| Order Number | Entry Side | Colour | Pack Qty | Price Inc GST |
|--------------|------------|--------|----------|---------------|
| C-0011BG | Rear | Grey | 1 | \$898.15 |
| C-0011B0 | Rear | Black | 1 | \$898.15 |



Pneumatic Tip Support with Filter

Two hose terminal hanger with automatic pneumatic closure of terminals. Includes manifold with filter, 2 x silicone tubes with terminals (1 x 11mm and 1 x 16mm), fastening plate, accessories and spiral tube. Dimensions without hoses or terminals: Height 118mm x Width 135mm x Depth 105mm.

| Order Number | Colour | Pack Qty | Price Inc GST |
|--------------|--------|----------|---------------|
| C-0055G0 | Grey | 1 | \$1,199.00 |
| C-0055W0 | White | 1 | \$1,199.00 |





Pneumatic Tip Support with filter and Triplex Holder

Two hose terminal hanger with automatic pneumatic closure of terminals. Also includes triplex holder. Includes an element filter. Dimensions without hoses or terminals: Height 118mm x Width 148mm x Depth 105mm.

| Order Number | Colour | Pack Qty | Price Inc GST |
|--------------|--------|----------|---------------|
| C-5528G0 | Grey | 1 | \$1,276.00 |
| C-5528W0 | White | 1 | \$1,276.00 |



Triplex Syringe Holder

Triplex syringe holder with the flexibility of being either cabinet mounted or fitted to the side of the Cattani Pneumatic Tip Support. Complete with adapters included to cater for various sized syringes.

| Order Number | Colour | Pack Qty | Price Inc GST |
|--------------|--------|----------|---------------|
| C-A0028G | Grey | 1 | \$104.12 |
| C-A0028B | Black | 1 | \$104.12 |
| C-A0028W | White | 1 | \$104.12 |



Saliva Ejector Holder

Flexible installation options of being cabinet mounted or fitted to the side of the Cattani Pneumatic Tip Support. Complete with a microswitch and a range of reducers to cater for various sized hoses.

| Order Number | Colour | Pack Qty | Price Inc GST |
|--------------|--------|----------|---------------|
| C-0070G0 | Grey | 1 | \$225.50 |
| C-007000 | Black | 1 | \$225.50 |
| C-0070W0 | White | 1 | \$225.50 |



Extension Segment Arm -Manual Tip Support

Extension arm suitable for use with the Cattani Manual Tip Support.

• Double segment arm extends: Minimum 50mm to Maximum 470mm Note: Extension lengths do not include the tip support depth.

| Order Number | Arm Extension | Pack Qty | Price Inc GST |
|--------------|---------------|----------|---------------|
| C-040050 | Double | 1 | \$913.00 |





Extension Segment Arm -Pneumatic Tip Support

Extension arm suitable for use with the Cattani Pneumatic Tip Support that can be wall or cabinet mounted.

- Single segment arm extends: Maximum 300mm
- Double segment arm extends: Maximum 500mm
- Maximum extension to double segment only

Note: Extension lengths do not include the tip support depth.

| Order Number | Arm Extension | Pack Qty | Price Inc GST |
|--------------|---------------|----------|---------------|
| C-006000 | Single | 1 | \$526.35 |
| C-006100 | Double | 1 | \$825.00 |



Suction Hoses – Spiral 11mm

NOTE: FR indicates full roll 25 metres.

| Order Number | Internal Diameter | Colour | Price Inc GST |
|--------------|-------------------|--------|-------------------|
| C-11013G | 11mm | Grey | \$44.66 PER M |
| C-11013GFR | 11mm | Grey | \$695.75 25M ROLL |
| C-110130 | 11mm | Black | \$44.66 PER M |
| C-110130FR | 11mm | Black | \$695.75 25M ROLL |



Suction Hoses – Spiral 14mm

NOTE: FR indicates full roll 25 metres.

| Order Number | Internal Diameter | Colour | Price Inc GST |
|--------------|-------------------|--------|-------------------|
| C-H14G00 | 14mm | Grey | \$44.66 PER M |
| C-H14GFR | 14mm | Grey | \$695.75 25M ROLL |
| C-H14000 | 14mm | Black | \$44.66 PER M |
| C-H14FR0 | 14mm | Black | \$695.75 25M ROLL |



Suction Hoses - Spiral 16mm

NOTE: FR indicates full roll 25 metres.

| Order Number | Internal Diameter | Colour | Price Inc GST |
|--------------|-------------------|--------|-------------------|
| C-11012G | 16mm | Grey | \$44.66 PER M |
| C-11012GFR | 16mm | Grey | \$695.75 25M ROLL |
| C-110120 | 16mm | Black | \$44.66 PER M |
| C-110120FR | 16mm | Black | \$695.75 25M ROLL |





Suction Hoses – Spiral 20mm

NOTE: FR indicates full roll 25 metres.

| Order Number | Internal Diameter | Colour | Price Inc GST |
|--------------|-------------------|--------|---------------------|
| C-H20G00 | 20mm | Grey | \$63.42 PER M |
| C-H20GFR | 20mm | Grey | \$1,010.90 25M ROLL |
| C-H20000 | 20mm | Black | \$63.42 PER M |
| C-H20FR0 | 20mm | Black | \$1,010.90 25M ROLL |



Suction Hoses – Spiral 25mm

NOTE: FR indicates full roll 25 metres.

| Order Number | Internal Diameter | Colour | Price Inc GST |
|--------------|-------------------|--------|---------------------|
| C-H25G00 | 25mm | Grey | \$63.42 PER M |
| C-H25GFR | 25mm | Grey | \$1,010.90 25M ROLL |
| C-H25000 | 25mm | Black | \$63.42 PER M |
| C-H25FR0 | 25mm | Black | \$1,010.90 25M ROLL |
| C-H25W00 | 25mm | White | \$63.42 PER M |
| C-H25WFR | 25mm | White | \$1,010.90 25M ROLL |



Suction Hoses – Spiral 30mm

NOTE: FR indicates full roll 25 metres.

| Order Number | Internal Diameter | Colour | Price Inc GST |
|--------------|-------------------|--------|---------------------|
| C-H30G00 | 30mm | Grey | \$63.42 PER M |
| C-H30GFR | 30mm | Grey | \$1,010.90 25M ROLL |
| C-H30000 | 30mm | Black | \$63.42 PER M |
| C-H30FR0 | 30mm | Black | \$1,010.90 25M ROLL |



Suction Hoses – Spiral 40mm

NOTE: FR indicates full roll 25 metres.

| Order Number | Internal Diameter | Colour | Price Inc GST |
|--------------|-------------------|--------|---------------------|
| C-H40000 | 40mm | Black | \$78.27 PER M |
| C-H40FR0 | 40mm | Black | \$1,314.50 25M ROLL |





Suction Hoses – Spiral 50mm

| Order Number | Internal Diameter | Colour | Price Inc GST |
|--------------|-------------------|--------|---------------|
| C-H50000 | 50mm | Grey | \$78.27 PER M |



Suction Hoses – Spiral 60mm

| Order Number | Internal Diameter | Colour | Price Inc GST |
|--------------|-------------------|--------|---------------|
| C-H60000 | 60mm | Black | \$88.11 PER M |



Suction Hoses – Spiral 80mm

| Order Number | Internal Diameter | Colour | Price Inc GST |
|--------------|-------------------|--------|----------------|
| C-H80000 | 80mm | Black | \$151.80 PER M |



Suction Hoses - Silicone 11mm

NOTE: FR indicates full roll 25 metres.

| Order Number | Internal Diameter | Colour | Price Inc GST |
|--------------|-------------------|--------|---------------------|
| C-11013S00G | 11mm | Grey | \$76.78 PER M |
| C-11013SGFR | 11mm | Grey | \$1,199.00 25M ROLL |
| C-11013W | 11mm | White | \$76.78 PER M |
| C-11013W-FR | 11mm | White | \$1,199.00 25M ROLL |



Suction Hoses - Silicone 16mm

NOTE: FR indicates full roll 25 metres.

| Order Number | Internal Diameter | Colour | Price Inc GST |
|--------------|-------------------|--------|---------------------|
| C-11012S-00G | 16mm | Grey | \$76.78 PER M |
| C-11012S-GFR | 16mm | Grey | \$1,199.00 25M ROLL |
| C-11012W | 16mm | White | \$76.78 PER M |
| C-11012W-FR | 16mm | White | \$1,199.00 25M ROLL |



Go to page 100 for heat resistant hoses for suction or exhaust air.



Control Panel - Classic Suction

The classic suction control panels include an off delay timer that avoids rapid stop/start of the motor.

| Order Number | Dimensions | Model Suited | Price Inc GST |
|--------------|--|-------------------|---------------|
| C-020632 | Height 400mm Width 300mm Depth 170mm | Uni-Jet 1 Phase | \$2,788.50 |
| C-020631 | Height 400mm Width 300mm Depth 170mm | Tecno-Jet 1 Phase | \$2,788.50 |
| C-020630 | Height 400mm Width 300mm Depth 170mm | Flux-Jet 1 Phase | \$2,788.50 |
| C-021050 | Height 400mm Width 300mm Depth 170mm | All 3 Phase Units | \$8,134.50 |



Vacuum Relief Valve – Tecno-Jet

Limits maximum vacuum to not overload the suction motor.

| Order Number | Model Suited | Price Inc GST |
|--------------|--------------|---------------|
| C-A31080 | Tecno-Jet | \$301.40 |



Vacuum Relief Valve – Flux-Jet

Limits maximum vacuum to not overload the suction motor.

| Order Number | Model Suited | Price Inc GST |
|--------------|--------------|---------------|
| C-400870 | Flux-Jet | \$290.40 |



Vacuum And Heat Relief Valve - Flux-Jet 2V

Limits maximum vacuum to not overload the suction motor.

| Order Number | Model Suited | Price Inc GST |
|--------------|--------------|---------------|
| C-160640 | Flux-Jet 2V | \$674.30 |



Vacuum Relief Valve - Medio-Jet 2V

Limits maximum vacuum to not overload the suction motor.

| Order Number | Model Suited | Price Inc GST |
|--------------|--------------|---------------|
| C-A1549V | Medio-Jet 2V | \$973.50 |



Silencer for Uni-Jet

Designed to reduce noise by 2dB (A).

| Order Number | Dimensions | Pack Qty | Price Inc GST |
|--------------|---|----------|---------------|
| C-160562 | Length 400mm Diameter 80mm (30mm ports) | 1 | \$225.50 |



Silencer for Tecno-Jet and Flux-Jet

Designed to reduce noise by 2dB (A).

| Order Number | Dimensions | Pack Qty | Price Inc GST |
|--------------|--|----------|---------------|
| C-160564 | Length 440mm Diameter 160mm (50mm ports) | 1 | \$375.10 |



Silencer for Medio-Jet

Designed to reduce noise by 2dB (A).

| Order Number | Dimensions | Pack Qty | Price Inc GST |
|--------------|---|----------|---------------|
| C-S2S000 | Length 265mm Diameter 90mm (50mm ports) | 1 | \$290.95 |



Heat Resistant Hose – Suitable for Suction or Exhaust Air

| Order Number | Internal Diameter | Colour | Price Inc GST |
|--------------|-------------------|--------|----------------|
| C-H40HR0 | 40mm | Black | \$331.10 PER M |
| C-H50HR0 | 50mm | Black | \$364.10 PER M |
| C-H60HR0 | 60mm | Black | \$375.65 PER M |
| C-H80HR0 | 80mm | Black | \$465.85 PER M |



Heat Resistant Hose – Suitable for Exhaust Air Only

| Order Number | Internal Diameter | Colour | Price Inc GST |
|--------------|-------------------|--------|----------------|
| C-H30EHR | 30mm | Black | \$187.55 PER M |
| C-H40EHR | 40mm | Black | \$215.05 PER M |
| C-H50EHR | 50mm | Black | \$233.20 PER M |

Available in up to 4 metre lengths



Genuine Cattani Air Flow Meter

Service technician tool to measure high volume evacuation terminals within the clinic ensuring appropriate levels of suction at each chair.

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|------------------------------------|----------|---------------|
| C-A87000 | Air flow meter, case & accessories | 5 1 | \$1,650.00 |



Conversion Switching System


The conversion switching system is a 24V power supply that converts the SMART suction systems 2 wire switching system into a 3 wire system i.e. This is used to provide 24V power to isolation and spittoon drain valves. 30 VA (1.25 Amp). Please ensure that valves that are being powered by this panel do not exceed this rating. High rated power units are available upon request – contact our Cattani Technical Team for more information.



| Order Number | Dimensions | Pack Qty | Price Inc GST |
|--------------|---|----------|---------------|
| D-RZ0000 | Height 200mm Width 240mm Depth 95mm | 1 | \$1,892.00 |

Alarm Panel – Suitable with Turbo SMART Systems

The alarm panel is designed to be installed in highly visible area (i.e. reception). The lamp/s illuminate when there is an alarm present on the SMART suction system to alert staff. Includes power supply for lamps and mounting plate. Highly recommended for SMART units installed in parallel.







EP Suction Isolation Valve

This 24V isolation valve is designed for use with all types of suction systems to isolate each chairs suction.

| Order Number | Dimensions | Pack Qty | Price Inc GST |
|--------------|---|----------|---------------|
| C-0039C0 | Height 68mm Width 85mm Depth 70mm | 1 | \$598.95 |
| C-0039C04 | Height 68mm Width 85mm Depth 70mm | 4 | \$1,798.50 |



Automatic Air Injector Valve - SMART Suction

Automatic air injector valve designed to be installed at the end of the suction line. Allows air to enter the suction line when it is working at a closed head, keeping fluids flowing.

| Order Number | Pack Qty Price Inc GST |
|--------------|------------------------|
| C-AAIV00 | 1 \$2,095.50 |



Manual Air Injector Valve - Classic Suction

A manual air injector valve that is designed to be installed at the end of the suction line. Allows air to enter the suction line when it is working at a closed head, keeping fluids flowing.

| Order Number | Pack Qty Price Inc GST |
|--------------|------------------------|
| C-1AIVOO | 1 \$219.45 |



Spittoon Drain Valve

Automatic valve that connects the spittoon waste to the suction system. Requires 24V AD/DC supply. Valve is activated when fluid is sensed by the electronic level sensing probes. Valve also activates suction system if not already running.

- Post Box installation inside the post box.
- Universal installation in the floor box of dental unit.

| Order Number | Dimensions | Pack Qty | Price Inc GST |
|--------------|---|----------|---------------|
| C-021960 | Post Box – Height 180mm Width 47mm Depth 93mm | 1 | \$973.50 |
| C-021974 | Universal – Height 180mm Width 110.7mm Depth 100mm | 1 | \$1,424.50 |





Bacterial Filter - Aspi-Jet & Turbo Jet

Filters exhaust suction air prior to releasing to the atmosphere. Recommended when exhaust air has the potential to be released into areas accessible by people. Suitable for Aspi-Jet and Turbo-Jet 1 and 2.

- Removes 99.9% of particles
- Removes bacterial particles down to 0.01 micron
- Odour removal via activated carbon
- 30mm port connection (refer hose connection page for exhaust hoses)
- Filter should be replaced approximately every 12 months

| Description | Size Pack Qty | Price Inc GST |
|------------------------------|--|--|
| Filter Housing and Filter | Height 225mm 1 (excludes port protusion) | \$976.25 |
| | Filter Housing | Filter Housing Height 225mm 1 and Filter (excludes |



HEPA H14 Filter – 1-4 Surgeries

Filters exhaust suction air prior to releasing to the atmosphere. Recommended when exhaust air has the potential to be released into areas accessible by people. Suitable for Turbo SMART, Micro SMART and selected dry suction units, please contact Cattani customer service team for suitable recommendations.

- 99.975% efficiency at 0.3 micron
- Filter should be replaced approximately every 12 months
- Filters 90m3/h
- 63mm port connection (refer hose connection page for suitable exhaust hoses)

| Order Number | Description | Size | Pack Qty | Price Inc GST |
|--------------|--|--|------------------------------|---------------|
| C-042090 | Filter Housing and Filter | Height 230m Diameter 200i (excludes po protusion) | mm ort | \$2,106.50 |
| C-042090-KIT | Filter Installation Kit (Turbo SMART & Turbo SMART Cube) | Quick connecton k for 042090 includes hos connector, elb coupling an reduction bu | – se oow, d | \$218.90 |
| C-042090-KMS | Filter Installation Kit (Micro SMART & Micro SMART Cube) | Quick connecton k for 042090 c Micro SMAR only – includ hose connect elbow, coupli nd reduction b | on RT es or, ing | \$261.80 |
| C-160540 | Replacement Filter | - | 1 | \$599.50 |





HEPA H14 Filter - 5-8 Surgeries

Filters exhaust suction air prior to releasing to the atmosphere. Recommended when exhaust air has the potential to be released to areas accessible by people. Suitable for Turbo SMART and selected dry suction units, please contact Cattani customer service team for suitable recommendations.

- Filter should be replaced approximately every 12 months
- Filters 188m3/h
- 63mm port connection (refer hose connection page for exhaust hoses)

| Order Number | Description | Size | Pack Qty | Price Inc GST |
|--------------|--|--|----------|---------------|
| C-042092 | Filter Housing and Filter (Tandem Turbo SMART & Tandem Turbo SMART Cube) | Height 460m Diameter 200r (excludes port protusio | mm | \$4,064.50 |
| C-160541 | Replacement Filter | - | 1 | \$898.15 |



Password Upgrade – Turbo SMART A to B

Increase the capacity of your serviceable dental chairs through the use of the Cattani password upgrade. Simply entered on the keypad of the suction system and you are ready to go. That's SMART, that's Cattani.

Suitable to upgrade:

- Turbo SMART A to Turbo SMART B
- Turbo SMART Cube A to Turbo SMART Cube B

To streamline order process please provide:

- 1. Serial Number found on I.D. Label on chassis
- 2. Generated Code found on Control Panel

| Order Number | Description | Price Inc GST |
|--------------|---------------------------------------|---------------|
| 035500 | Turbo SMART Password Upgrade (A to B) | \$2,623.50 |

PLEASE NOTE: Refunds/returns are NOT available on password upgrades once ordered from Cattani Italy.





Micro SMART Series – ISO 6 Hydrocyclone Amalgam Retention Retrofit Kit

Upgrade your Micro SMART to include amalgam retention.

- Flow Rates Min 0.5 l/min | Max 5.5 l/min To streamline order process please provide:
- 1. Serial Number found on I.D. Label on chassis

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|--|----------|---------------|
| C-MR6000 | Micro SMART Amalgam Retrofit Ki | t 1 | \$1,672.00 |
| C-043382 | Micro SMART CUBE Amalgam Retrofit Kit | 1 | \$1,672.00 |



Turbo SMART Series – ISO 18 Hydrocyclone Amalgam Retention Retrofit Kit

Upgrade your Turbo SMART to include amalgam retention.

- Flow Rates Min 0.5 l/min | Max 18 l/min To streamline order process please provide:
- 1. Serial Number found on I.D. Label on chassis

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|---|----------|---------------|
| C-1H3C00 | Turbo SMART Amalgam Retrofit K (Detachable keypad version) | it 1 | \$2,051.50 |
| C-1H0000 | Turbo SMART Amalgam Retrofit K (Gen 3) | it 1 | \$2,051.50 |
| C-1H3CUB | Turbo SMART CUBE Amalgam Retrofit Kit | 1 | \$2,579.50 |



Replacement Amalgam Containers – Smart Suction

Cattani makes it easy to safely recycle mercury and amalgam through our partner, Ecocycle – Your Specialist Recycler.

Ecocycle helps keep mercury out of landfill and waterways through their state-of-the-art recycling facilities across the nation. Please contact Ecocycle for pricing on replacement containers, pick up and recycling services – 1300 32 62 92 Australia, 0800 73 29 22 New Zealand.

| Order Number | Description | Pack Qty |
|--------------|---|----------|
| C-043132 | ISO 6 Micro SMART and Micro SMART CUBE Amalgam Container | 1 |
| C-043135 | ISO 18 Turbo SMART and Turbo SMART CUBE Amalgam Container | 1 |
| C-043138 | ISO 60 Maxi SMART Amalgam Container | 1 |





Contact Ecocycle on 1300 32 62 92 Australia, 0800 73 29 22 New Zealand.



Minor Service Parts

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|---|----------|---------------|
| C-215956 | Micro SMART Minor Service Kit – | 1 | \$7.43 |
| M-040727 | Includes inlet filter o-ring and 4 x 30ml bottle of LUBRI-JET | | \$41.09 |
| C-211974 | Turbo SMART Minor Service Kit – | 1 | \$11.33 |
| M-040727 | Includes inlet filter o-ring and 4 x 30ml bottle of LUBRI-JET | | \$41.09 |
| C-215986 | Maxi SMART Minor Service Kit – | 1 | \$7.43 |
| M-040727 | Includes inlet filter o-ring and 4 x 30ml bottle of LUBRI-JET | | \$41.09 |

Intermediate Service Kits

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|---|----------|---------------|
| C-MR60SK | Micro SMART and Micro SMART CUBE Intermediate Service Kit – ISO 6 Hydrocyclone | 1 | \$538.45 |
| C-1H00SK | Turbo SMART and Turbo SMART CUBE Intermediate Service Kit – ISO 18 Hydrocyclone | 1 | \$158.40 |
| C-043390SK | Maxi SMART Intermediate Service Kit – ISO 60 Hydrocyclone | 1 | \$231.00 |

Major Service Kits

| Order Number | Description | Price Inc GST |
|--------------|--|---------------|
| C-MSMSK0 | Micro SMART Major Service Kit – Includes: C-025401-SK Separator Kit C-014057-SK Blower Kit and C-MSIHSK Internal Hose Kit | \$1,046.65 |
| C-MSCMSK | Micro SMART CUBE Major Service Kit – Includes: C-025401-SK Separator Kit, C-017500-SK Blower Kit and C-MSCIH0-SK Internal Hose Kit | \$943.80 |
| C-TSMSK0 | Turbo SMART Major Service Kit – Includes: C-0034MS-3SK Separator Kit, C-1M0000-SK Blower Kit and C-TSIHSK Internal Hose Kit | \$978.45 |
| C-TSCMSK | Turbo SMART Cube Major Service Kit – Includes: C-0034MS-3SK Separator Kit, C-014095-SK Blower Kit and C-TSCIH0-SK Internal Hose Kit | \$973.50 |
| C-TS2VMSK0 | Turbo SMART 2V – Major Service Kit – Includes: C-0034MS-3SK Separator Kit, C-019164-SK Blower Kit and C-TS2VIH-SK Internal Hose Kit | \$1,314.50 |
| C-MAXIMSK | Maxi SMART Major Service Kit – Includes: C-025408-SK Separator Kit, C-091655-SK Blower Kit and C-MXIHSK Internal Hose Kit | \$1,683.00 |



Intermediate Service Kit



Separator Major Service Kit



Blower Major Service Kit



SUCTION SERVICE KITS

Separator Major Service Kits

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|--|----------|---------------|
| C-025401SK | Micro SMART and Micro SMART CUBE Separator Major Service Kit | 1 | \$644.05 |
| C-0034MS3SK | Turbo SMART, Turbo SMART CUBE, Turbo SMART 2V Separator Major Service Ki | t 1 | \$727.10 |
| C-025408SK | Maxi SMART Separator Major Service Kit | 1 | \$636.35 |

Blower Major Service Kits

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|--|----------|---------------|
| C-014057SK | Micro SMART Blower (U.J. 40) Major Service Kit | 1 | \$319.55 |
| C-017500SK | Micro SMART CUBE Blower (U.J. 25) Major Service Kit | 1 | \$312.40 |
| C-1M0000SK | Turbo SMART Blower (U.J. 75) Major Service Kit | 1 | \$376.75 |
| C-014095SK | Turbo SMART CUBE Blower (U.J.40) Major Service Kit | 1 | \$243.65 |
| C-019164SK | Turbo SMART 2V Blower (U.J. 75 2V) Major Service Kit | 1 | \$363.00 |
| C-091655SK | Maxi SMART Blower (M.J.2V) Major Service Kit | 1 | \$655.05 |

Internal Hose Service Kits

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|------------------------------------|----------|---------------|
| C-MSIHSK | Micro SMART Internal Hose Kit | 1 | \$40.54 |
| C-MSCIH0-SK | Micro SMART CUBE Internal Hose Kit | 1 | \$168.30 |
| C-TSIHSK | Turbo SMART Internal Hose Kit | 1 | \$112.20 |
| C-TSCIH0-SK | Turbo SMART Cube Internal Hose Kit | 1 | \$367.40 |
| C-TS2VIH-SK | Turbo SMART 2V Internal Hose Kit | 1 | \$222.75 |
| C-MXIHSK | Maxi SMART Internal Hose Kit | 1 | \$342.65 |



SUCTION SERVICE KITS

Major Service Kit (10,000 Hours)

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|---|----------|---------------|
| C-014000SK | Flux-Jet Blower – Major Service Kit (10,000 Hours) | 1 | \$520.30 |
| C-A00150SK | Medio-Jet (~3) Blower – Major Service Kit (10,000 Hours) | 1 | \$345.95 |
| C-006900SK | Tecno-Jet (~1) Blower – Major Service Kit (10,000 Hours) | 1 | \$470.80 |
| C-0033M0SK | Turbo-Jet 1, Turbo-Jet 1 and 2 – Modular Separator (~1) Major Service Kit (10,000 Hours) | 1 | \$509.85 |
| C-002300SK | Uni-Jet 75 (~1) Blower – Major Service Kit (10,000 Hours) | 1 | \$443.30 |
| C-0023V0SK | Uni-Jet 75 2V (~1) Blower – Major Service Kit (10,000 Hours) | 1 | \$392.15 |
| C-080090SK | Uni-Jet 500 (~3) Blower – Major Service Kit (10,000 Hours) | 1 | \$1,754.50 |
| C-083067SK | Uni-Jet 1000 (~3) Blower – Major Service Kit (10,000 Hours) | 1 | \$2,156.00 |

Aspi-Jet Mobile Suction – Minor Service Kits (2,000 Hours or 1 Year)

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|---|----------|---------------|
| C-000600SK | Aspi-Jet – Minor Service Kit | 1 | \$317.90 |
| C-000600SKB | Aspi-Jet – Minor Service Kit with replacement HEPA H14 Filter | 1 | \$1,254.00 |

SMART Suction Complete Filter (Element and Housing)

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|--|----------|---------------|
| C-201547 | Micro SMART and Micro SMART CUBE | 1 | \$238.70 |
| C-201544 | Turbo SMART, Turbo SMART CUBE and Turbo SMART 2V | 1 | \$238.70 |
| C-201543 | Maxi SMART | 1 | \$278.30 |



Miscellaneous

| Order Number | Size | Pack Qty | Price Inc GST |
|--------------|--|----------|---------------|
| C-182575 | Switch for black control panel – Turbo SMART | 1 | \$101.81 |
| C-186485 | Cooling Fan for Turbo SMART and Micro SMART | 1 | \$413.60 |



SUCTION SPARE PARTS

Capacitors

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|--|----------|---------------|
| C-189106 | 10 μF Capacitor Metal Turbo-Jet 1 Range, Turbo-Jet 2 Centrifuge, Aspi-Jet Range and Uni-Jet 75 | 1 | \$109.51 |
| C-189146 | 20 μF Capacitor C87.0 "UL" Metal With 150mm Cable Turbo-Jet 2 Suction Motor, Tecno-Jet, and Uni-Jet 75 2V | 1 | \$125.40 |
| C-189147 | 40 μF Capacitor C87.0 "UL" Metal With 350mm Cable Tecno-Jet 2V and Flux-Jet | 1 | \$199.10 |

Aspi-Jet

| Order Number | Size | Pack Qty | Price Inc GST |
|--------------|----------------------------------|----------|---------------|
| C-604200 | Aspi-Jet Door Handle | 1 | \$22.06 |
| C-606800 | Rubber Elbow | 1 | \$65.78 |
| C-603941 | Canister Top – Aspi-Jet 6 | 1 | \$231.00 |
| C-603600 | Castors – Aspi-Jet 6, 7, 8 and 9 | 1 | \$20.85 |

Inlet Filter Aspi-Jet 6, 7, 8, 9 and Maxi-Canister Separator

| Order Number | Size | Pack Qty | Price Inc GST |
|--------------|--------------|----------|---------------|
| C-120290 | Inlet Filter | 1 | \$25.63 |



Filter – Inline Complete (Turbo-Jet 1 and 2 Modular)

Inline filter with 25mm port connections (includes inlet filter)

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|--------------|----------|---------------|
| C-004000 | Inlet Filter | 1 | \$225.50 |



Filter Element for Inline Filter

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|----------------|----------|---------------|
| C-240317 | Filter element | 1 | \$76.78 |
| C-240317-6 | Filter element | 6 | \$315.70 |





Bracket for Filter – Inline Complete

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|-------------------------|----------|---------------|
| N-40HB00 | L-shaped –vertical or | 1 | \$96.42 |
| | horizontal installation | | |



Filter Element for Aspi-Jet Range and Manual Tip Support

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|----------------|----------|---------------|
| C-113000 | Filter element | 1 | \$45.27 |
| C-113000-6 | Filter element | 6 | \$177.65 |



Air Filter - Aspi-Jet

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|-------------|----------|---------------|
| C-120280 | Air filter | 1 | \$15.51 |
| C-120280-10 | Air filter | 10 | \$83.33 |
| C-120280-100 | Air filter | 100 | \$748.55 |



Filter for Pneumatic Tip Support (0055)

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|-----------------------------|----------|---------------|
| C-551400 | Filter element for all | 1 | \$45.27 |
| | pneumatic tip support units | | |



Filter for Spittoon

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|----------------------|----------|---------------|
| C-201533 | For A-dec and Anthos | 1 | \$301.40 |
| C-201596 | For Planmeca | 1 | \$301.40 |
| C-201599 | For Sirona | 1 | \$301.40 |



Elbow Hose Connectors

32mm I.D. female coupling to tapered spigot for flexible suction hose. 25mm (C-3923B0) 30mm (C-3923A0)

| • | • | | |
|---|---|----------|---------------|
| Order Number | Description | Pack Qty | Price Inc GST |
| C-3923B0 | 25MM | 1 | \$18.04 |
| C-3923B010 | 25MM | 10 | \$111.10 |
| C-3923A0 | 30MM | 1 | \$18.04 |
| C-3923A010 | 30MM | 10 | \$111.10 |





Straight Hose Connectors

32mm I.D. female coupling to tapered spigot for flexible suction hose. 20mm (C-3922C0) 25mm (C-3922B0) 30mm (C-3922A0)

| • | | - | |
|--------------|-------------|----------|---------------|
| Order Number | Description | Pack Qty | Price Inc GST |
| C-3922C0 | 20MM | 1 | \$18.04 |
| C-3922C010 | 20MM | 10 | \$111.10 |
| C-3922B0 | 25MM | 1 | \$18.04 |
| C-3922B010 | 25MM | 10 | \$111.10 |
| C-3922A0 | 30MM | 1 | \$18.04 |
| C-3922A010 | 30MM | 10 | \$111.10 |



Hose Connector for Motorised Suction Isolation Valve

Fits into the motorised suction isolation valve with tapered spigot for flexible suction hose. 30mm (C-110800) 40mm (C-110840

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|-------------|----------|---------------|
| C-110800 | 30MM | 1 | \$25.63 |
| C-110840 | 40MM | 1 | \$25.63 |



Coupling Connector - 32mm

32mm O.D. male joining coupling with O-rings

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|--------------------|----------|---------------|
| C-0040D0 | Coupling connector | 1 | \$45.27 |
| C-0040D010 | Coupling connector | 10 | \$301.40 |



Mounted Connectors – Flange fitting with Captive Nuts

| Order Number | Description | Price Inc GST |
|--------------|--|---------------|
| C-112800 | 2 Hose Tip Support (0011b) & Aspi-Jets | \$32.18 |
| C-202512 | Turbo Jet 1 & 2 Modular In Cover | \$53.02 |



Adaptor for EP Suction Isolating Valve

Reduction bush – glues into 40mm DWV pipe (pipe may need to be heated to fit the bush). Reduces internal diameter to 32mm to accept EP suction isolation valve or coupling connector – 32mm (C-0040D0).

| Order Number | Description | Pack Qty | Price Inc GST |
|--------------|-------------|----------|---------------|
| F-AEP400 | Adaptor | 1 | \$22.06 |
| F-AEP40010 | Adaptor | 10 | \$182.60 |





CONSUMABLES

WHY MAGNOLIA?

As dental care professionals, it is important to apply the appropriate product to your suction equipment to ensure not only the health of your machine, but also as part of your infection control for the safety of staff and patients.



MAGNOLIA PRODUCTS

PULI-JET GENTLE 2.0 – NON-FOAMING DENTAL DISINFECTANT

At Cattani, we offer the PULI-JET Gentle 2.0 dental disinfectant from our Magnolia range, registered as an antimicrobial solution specifically made to disinfect dental medical devices. This is a non-foaming commercial grade disinfectant designed to clean and disinfect the dental suction lines.

SURFACTANT AND ANTI-SCALING AGENT

PULI-JET Gentle 2.0 also contains surfactant capabilities to help cover more areas of the lines for prolonged disinfection. The other powerful feature is the anti-scaling agent which helps minimise mineral deposits in the pipework and the suction system.

Easy-to-remember disinfecting procedure.

- One single product
- One dilution method
- Once a day
- No alternating schedules
- No shock treatment required

PULSE CLEANER - MAXIMISES DISINFECTANT ASPIRATION THROUGH THE SUCTION SYSTEM

The Pulse Cleaner automatically aspirates PULI-JET Gentle 2.0 disinfectant solution through the suction system by creating air and fluid turbulence, evenly and widely distributing the disinfectant for the most effective cleaning and protection.

LUBRI-JET SILICONE LUBRICANT DROPS – EASY CARE FOR O-RINGS AND SEALS

LUBRI-JET is a silicone-based lubricant supplied in a handy dropper bottle, ideal for lubricating rubber O-rings and seals, which increases their lifespan.

Each single pack of LUBRI-JET contains four 30ml bottles.





ANTIFOAMING DISINFECTANT TABLETS - CONTINUOUS DISINFECTION ALL DAY

Antifoaming Disinfectant Tablets manage the foam that can occur through surgical treatments that have a large amount of dense liquids such as blood, mucus, and thick saliva. The tablet also has a slow-release capability, so that it continuously disinfects the suction lines throughout the entire working day.

Each pack contains 50 tablets, with one required per surgery per day.

SURGICAL SUCTION TIPS

Cattani Suction Tips are designed to work in harmony with clinical staff and preferred operating techniques. The range covers every clinical situation, from large volume to the very precise, with clinical staff safety and patient comfort always in mind.

Available in high and low-volume sizes to evacuate fluids and airborne particles.

Autoclavable to 135°C. Each pack contains 3 tips.

AT CATTANI, WE DON'T JUST CLEAN. WE DISINFECT.



PULI-JET GENTLE 2.0

Non-foaming disinfectant for dental suction systems

PULI-JET Gentle 2.0 is an antimicrobial solution from our *Magnolia* range, specifically made to disinfect dental suction devices, known for its easy-to-remember single dilution disinfecting procedure.

- Phenol free
- Aldehyde free

No alternating schedules, products, or shock treatments are needed.

Each bottle makes 33 doses. Available in 1-litre bottles (30ml of PULI-JET Gentle 2.0 to 2.5 litres of warm water).

ONE DISINFECTANT, ONE DILUTION, ONCE A DAY

| Order Number | Size | Price Inc GST |
|--------------|----------|---------------|
| M060980 | Single | \$63.95 |
| M060980004 | 4 Pack | \$226.05 |
| M060980012 | 12 Pack | \$606.49 |
| M060980120 | 120 Pack | \$5,395.50 |





SUCTION UNIT MAINTENANCE

Point your smartphone camera at this QR code to view our short instructional videos



Antifoaming Disinfectant Tablets

Reduces foam that occur through surgical treatments that have a large amount of dense liquids such as blood and mucus, as well as continuously disinfecting the suction lines through the working day.

Each pack contains 50 tablets, with one required per surgery per day.

| Order Number | Size | Price Inc GST |
|--------------|---------|---------------|
| M040825 | Single | \$144.10 |
| M04082510 | 10 Pack | \$1,166.00 |

ANTIFOAMING DISINFECTANT TABLETS

Pulse Cleaner

Automatically aspirates PULI-JET Gentle 2.0 disinfectant solution through the suction system by creating air and fluid turbulence, evenly and widely distributing the disinfectant for the most effective cleaning and protection.

| Order Number | Size | Price Inc GST |
|--------------|---------|---------------|
| C-040720 | Single | \$122.65 |
| C-0407204 | 4 Pack | \$444.40 |
| C-04072010 | 10 Pack | \$1,071.95 |



Reducer Adaptor For Pulse Cleaner

| Order Number | Size | Price Inc GST |
|--------------|--------|---------------|
| C-040398 | Single | \$31.90 |

Plunger For Pulse Cleaner

| Order Number | Size | Price Inc GST |
|--------------|--------|---------------|
| C-201846 | Single | \$29.48 |

LUBRI-JET Silicone Lubricant Drops 30ml

A silicone-based lubricant supplied in a handy dropper bottle, ideal for lubricating rubber O-rings and seals, which increases their lifespan.

Each pack contains 4 x 30ml bottles.

| Order Number | Size | Price Inc GST |
|--------------|-----------------------|---------------|
| M-040727 | Single Box (4 x 30ml) | \$41.09 |

Antifoam Liquid

High efficacy antifoam silicone liquid for larger dental facilities. Reduces foam that occur through surgical treatments that have a large amount of dense liquids such as blood and mucus.

| Order Number | Size | Price Inc GST |
|--------------|--------|---------------|
| C-AS1000 | Single | \$396.00 |








SELECTION, INSTALLATION, MAINTENANCE AND SERVICE

The pursuit of 100% reliability is what drives Cattani at every level. Our Cattani Blueprints Training Program™ and Cattani After Care Training Program™ cover the essential aspects of selection, installation, ongoing preventative maintenance, and servicing of Cattani equipment for dental clinics.









VENTILATION GUIDELINES – CONTROLLING THE TEMPERATURE IN YOUR PLANT ROOM

AIR CONDITIONING

Air conditioning is the best way to maintain the stable temperatures your plant room equipment needs for optimal performance. Modern split systems are the most efficient and affordable. And with a dedicated air conditioner in your plant room, no vents are required, so noise emissions are greatly reduced.

The clinic's central air conditioning system must not include the plant room. Instead the room should have its own dedicated air conditioner. Central systems are designed for human comfort and the thermostat is usually located in reception. It cannot sense the temperature in the plant room, so in winter, for example, it would often be heating the room, even though it generates its own heat.

Recommendations for plant room air conditioning:


- 1-4 surgeries 2.5 kW
- 4-6 surgeries 3.5 kW
- 6-8 surgeries 4.5 kW
- 8-10 surgeries 5.5 kW

FAN-FORCED VENTILATION

Fan-forced ventilation systems turn over the air in the plant room. Cool air is drawn in while hot air is exhausted via the in-line fan. With this ventilation method we recommend a fan capacity of 150m3/hr per 1 kW power rating of your equipment.

There are drawbacks with fan-forced ventilation:

- Noise the vents needed to allow air to flow through the plant room also allow more noise to escape the room, including extra noise generated by the cooling fans.
- Temperature an efficient fan-forced ventilation system will only reduce the temperature to 10°C above the incoming air temperature. Also, temperature control is only as consistent as the incoming air temperature.



NOISE REDUCTION OPTIONS

All plant room equipment generates noise, which can irritate dentists, staff and patients. The noise level may also breach council and body corporate regulations. Any noise reduction solution that will cause equipment to overheat is out of the question, so a balance between ventilation and noise reduction needs to be found:

- The plant space can be air conditioned to eliminate the need for vents
- The space may be lined with sound insulation
- Cattani supplies Acoustic Covers for certain models
- Mufflers can be fitted to the suction exhaust outlet
- Fan-forced ventilation vents can be baffled (see below)

A simple baffle can reduce noise escaping from vents. Essentially, a box with one end open is placed over the vent. Air can pass through but noise is absorbed. The box can be made of materials similar to cabinet doors and ideally should be lined with sound insulation. Ensure that the open end of the box is large enough so that it does not restrict air flow. Restricting air flow will compromise the efficiency of the ventilation system.



WHAT YOU NEED TO KNOW

Suction and air supply are the unsung heroes of the dental practice. Without their optimal performance and reliability, work suffers and can even stop, so it is essential that your Cattani equipment is installed correctly.

Your Cattani dealer will discuss with you the various installation options and recommend those that best suit your clinic and environment. The information below is a useful starting point for site requirements, while your installer has the expertise to ensure your set-up produces optimal performance and longevity.

The team at Cattani is also happy to advise you on planning your installation. Call us at +61 3 9484 1120.

SUCTION SYSTEM ESSENTIALS

The suction piping system uses DWV PVC pipe and connects each dental surgery back to the suction unit in the plant room. The suction unit should be installed on the same floor level or below the level of the dental chairs. It should have a constant fall from the chairs towards the suction unit and cannot include 90° junctions, dips, U-shapes or rises. Termination within the dental surgery is typically at the floor junction box of the dental chair, but is site dependent. The chair manufacturer or installer should be consulted for location details.

Your suction unit will need:

- Suction inlet connection termination of suction piping that connects to dental surgeries
- Waste connection sewer drain pipe terminated lower than waste outlet of suction unit
- Exhaust air outlet connection piping that directs exhaust air to atmosphere outside the building
- Power supply dedicated electrical power circuit to run the suction unit
- Control switch wiring switch wiring to connect the dental surgeries to the suction unit

COMPRESSOR ESSENTIALS

The compressed air piping system is typically copper and connects each dental surgery back to the compressor unit in the plant room. Termination within the dental surgery is typically at the floor junction box of the dental chair, but is site dependent. The chair manufacturer or installer should be consulted for location details

Your compressor will need:

- Compressed air outlet connection termination of compressed air piping system that connects to the dental surgeries
- Power supply dedicated electrical power circuit to run the suction unit
- Waste connection (optional) sewer connection to allow drainage of compressor condensate

LOCATION AND ACCESS - WHERE TO POSITION YOUR PLANT ROOM

When designing a new practice, the location of your plant room is an important consideration because proper planning will ensure the most efficient and balanced suction performance. Locating the plant room close to surgeries prevents underperformance caused by excessive pipeline lengths. The plant room must be on the same floor as the dental chairs, or below them. Fluids need to fall to the pump, so if there is a floor below the chairs, like a car park or basement that is accessible and still close to the dental suites above, that location would be ideal for the plant room. Many sites also have air-conditioned plant rooms to protect their investment.

MAXIMISE YOUR SYSTEM'S PERFORMANCE WITH AN AIR INJECTOR VALVE

Cattani highly recommends the use of an Air Injector Valve with all suction systems. It is best to install one at the time the clinic is constructed but they can also be added later.


Air must flow through the piping in a suction system to help aspirated fluids reach the suction unit. Depending on the site scenario, it is possible that insufficient air will flow through the system. This can lead to fluctuations in performance as fluids pool at the lowest part of the system, with air flow falling below optimal levels. An Air Injector Valve, installed at the end of the pipeline, is an excellent way to compensate for any lack of air volume.



There are two types available:

- Standard Air Injector Valve a constantly variable unit that allows the flow of small volumes of air over long periods. It is a simple spring-loaded, vacuum-actuated valve, designed to open at the same time that the chairs are in operation.
- Automatic Air Injector Valve an automated unit
 that allows the flow of large volumes of air over
 short periods. This is an electro-pneumatic valve
 that is actuated by an electrical signal. It is designed
 to open only when all chairs have ceased operation.
 With no air flow required from the chairs, the valve
 allows a large volume of air to be injected into the
 system without compromising the performance to
 the chair.

If you are building a new clinic, we strongly recommend that you make provision for an Air Injector Valve to be fitted, even if you don't install it straight away. It is much simpler to install an Air Injector Valve to existing services rather than have to add those services later. To provide for an Air Injector Valve, you need to extend the suction pipeline past the chair furthest from the suction unit, terminating the line at a point higher than the main suction pipe line, in an accessible area like a cabinet, ceiling space, void etc. An additional switch cable between this point and the suction unit is also required. Ensure that the pipe is capped if an Air Injector Valve is not being installed immediately. If a system does not have the extra pipe-work from the start, an Air Injector Valve can be retro-fitted by adding it to the floor junction box of the dental chair. However, the noise generated by the aspirated air can be disruptive.



PIPELINE DESIGN AND LAYOUT

The pipeline needs to facilitate the flow of air and fluids back to the plant room. Pipelines should be designed with a main pipe connected to branches from each dental chair. Large clinics may also require sub-branches. Where possible the piping should take the shortest and straightest route between the plant room and the last dental chair on the line. The diameter of the pipe depends on the number of chairs and the proximity to the plant room: in simple terms, the further from the plant room, the smaller the pipe.

PIPE SIZE GUIDELINES

Pipe size plays a crucial role in ensuring an even air flow and efficient evacuation of fluids. Suction plumbing requirements based on an average air flow rate of 350l/min per chair are:

- 1-2 chairs 40mm DWV pipe
- 3-6 chairs 50mm DWV pipe
- 7-10 chairs 65mm DWV pipe
- 11-15 chairs 80mm DWV pipe

PIPELINE CONFIGURATION GUIDELINES

Bends in the pipeline should never be greater than 45° . If a 90° bend is required, use $2 \times 45^\circ$ bends together in-line. All branches entering a main line must use 45° junctions. Do not use a T-junction when splitting main lines into two branches. Instead, use a 45° Y-junction for the first branch off the main line and $2 \times 45^\circ$ bends for the second.

PIPELINE RISE AND FALL GUIDELINES

The pipeline should slope constantly towards the suction unit in the plant room. Strictly avoid dips and U-shapes around beams etc to prevent fluids pooling at the lowest point and restricting air flow. If the suction unit is installed on the same floor as the dental chairs, a single vertical rise should be installed just before the unit with the height kept to a minimum. The higher this rise, the greater the risk of fluids creating a wave effect as they try to reach the inlet of the suction unit. This "wave" may cause fluctuating performance at the suction tips.









Sales and Technical Support:



Australia +61 3 9484 1120 cattani@cattani.com.au www.cattani.com.au



New Zealand 0800 68 22 88 cattani@cattani.co.nz www.cattani.co.nz

Company Address: 280 Dundas Street, Thornbury VIC 3071